# **BIRLA CARBON**

HIGH PERFORMANCE PRODUCTS FOR MECHANICAL RUBBER GOODS



Our range of high-quality carbon blacks can enable the mechanical rubber goods manufacturers to reach their customer's requirements for excellence in surface finish appearance and product durability. Rubber applications include sealing systems, belts and hoses, bellows and diaphragms, injection molded parts using thermoplastic elastomers, as well as anti-vibration components, among numerous other rubber goods.

> As the world leader in carbon black production, Birla Carbon can offer a variety of product grades and technical support to:



enhance product performance



waste

\$

**improve** cost effectiveness of our partners

Birla Carbon pioneered the concept of "ultra" clean carbon black technology, setting the standard for carbon black performance in high-precision extruded profiles and molded parts applications. A line of high performance products for mechanical rubber goods has been designed to optimize the value and performance required by our customers, suitable for use in the ever-expanding range of mechanical rubber goods products.

### Birla Carbon<sup>™</sup> 1001

# Surface area: medium-low Structure: medium

For use in applications requiring ultra clean carbons for excellent surface finish and durability as might be required for dense weatherstrip, dynamic applications or thin-walled, injection molded parts. This product can be used to replace N550 at higher loadings. It can reduce compound costs through easier mixing and better processing.

### Birla Carbon<sup>™</sup> 1004

#### Surface area: low Structure: medium

The combination of structure and particle size allows compounders to produce highly loaded hose or profile compounds with reduced compound costs and excellent processing and surface finish properties. This product also allows for higher compound electrical resistivity versus conventional ASTM grades for situations where electrochemical degradation or galvanic corrosion issues are encountered.

# Birla Carbon<sup>™</sup> 1029

# Surface area: medium-low

### Structure: medium-high

For use in applications requiring ultra clean carbons for excellent surface finish and durability as might be required for dense weatherstrip, dynamic applications or thin-walled, injection molded parts. This product can be used to replace N550 at higher loadings. It can reduce compound costs through easier mixing and better processing.

# Birla Carbon<sup>™</sup> 1031

### Surface area: medium

#### Structure: medium

For use in applications requiring ultra clean carbons instead of N550 for excellent surface finish and durability as might be required for dense weatherstrip, dynamic applications or thin-walled, injection molded parts.

### Birla Carbon<sup>™</sup> 1034

#### Surface area: low Structure: medium-low

For use in applications requiring ultra clean carbons instead of N660 for excellent surface finish and durability as might be required for blown weatherstrip, dynamic applications or thin-walled, injection molded parts.

### Birla Carbon<sup>™</sup> 1041


#### Surface area: medium Structure: low

For use in applications requiring ultra clean carbons instead of N539 for excellent surface finish and durability as might be required for dense weatherstrip, dynamic applications or thin-walled, injection molded parts.

### Birla Carbon<sup>™</sup> 1051

#### Surface area: low Structure: low

For use in applications requiring ultra clean carbons for excellent surface finish and durability as might be required in dynamic applications or thin-walled, injection molded parts.



\* OAN is oil absorption number

<sup>+</sup> NSA is nitrogen specific surface area

# **About Birla Carbon**

Birla Carbon is one of the world's largest manufacturers and suppliers of high quality carbon black and a flagship business of the Aditya Birla Group. Our contemporary research infrastructure and state-of-the-art technology centers provide carbon black solutions to leading companies in the rubber and specialty applications sectors worldwide.



SHARE THE STRENGTH

NORTH AMERICA

Birla Carbon U.S.A., Inc. 1800 West Oak Commons Court Marietta, Georgia 30062-2253 USA Phone: +1 770 792 9400

#### SOUTH AMERICA

Birla Carbon Brazil Ltda. Av. Do Café, 277 - 4° andar - Cj. 402 Torre B São Paulo, Brazil 04311-900 Phone: +55 11 3598 3800

#### EUROPE, MIDDLE EAST, AFRICA

Birla Carbon Europe GmbH Podbielskistrasse 160 D-30177 Hannover, Germany Phone: +49 511 630 890

#### **NORTH ASIA**

Birla Carbon (China) Office 509 Room, Far East International Plaza 317 Xian Xia Road, Changning District Shanghai, China 200050 Phone: +86 21 6259 9126

#### SOUTH ASIA

Birla Carbon (Thailand) Public Co. Ltd. 888/122, 888/128, Mahatun Plaza, 12th Floor Ploenchit Road, Lumpini Pratumwan, Bangkok 10330 Thailand Phone: +66 2253 6745 As an ardent practitioner of sustainable development, Birla Carbon's Sustainable Operational Excellence (SOE) strategy focuses on employee safety, environmental stewardship, efficient use of carbon sources and a key focus on conducting operations in a socially and ethically responsible manner. In 2018, Birla Carbon was awarded a Gold level rating for sustainable practices for the third consecutive year by EcoVadis.

Birla Carbon's Purpose, **Share the Strength**, is about balanced and shared leadership, working at the product level to innovate cutting edge solutions, through collaboration with its people, customers and communities and backed by knowledge built over a century.



#### www.birlacarbon.com

The information presented within this publication is based on Birla Carbon's research and the research of others, but neither its accuracy nor completeness is guaranteed. BIRLA CARBON MAKES NO, AND DISCLAIMS ALL, REPRESENTATIONS AND WARRANTIES, EXPRESS OR IMPLIED, REGARDING ACCURACY, PERFORMANCE, STABILITY, RELIABILITY, OR USE, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND OR FITNESS FOR A PARTICULAR PURPOSE. The user is solely responsible for determining the suitability of any product for a specific purpose. No suggestion for use is intended as or should be construed as a recommendation to infringe upon any patent or to violate any law or regulation. Before handling, using, or processing any material, always read its Material Safety Data Sheet.