

Ref. No. ENV/ Nagpur/June-01

Date: 01st June 2020

To,

Additional Principal Chief Conservator of Forests (C),
Ministry of Environment, Forest and Climate Change,
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building Civil Lines, Nagpur-440001

Sub : Environmental Clearance for 25 MW Lean Gas Based Power Plant as well as EC for Carbon Black Plant (1,20,000 TPA) at Patalganga, Dist: Raigad, Maharashtra.

**Ref : 1) Environmental Clearance Letter No. J-13011/35/2007-IA.II (T) dated September 28, 2007,
2) Environmental Clearance Letter No. J-11011/35/2007 IA II (I) dated 22nd March 2013**

Respected Sir,

In reference to the above referred letter of your highly revered office we would like to clarify submit the Current Status of our construction work and Point wise compliance status to various stipulations laid down by the Ministry in its clearance letter No. J- 13011/35/2007-IA.II(T) & J-11011/35/2007 IA II (I) along with the necessary enclosure and annexure.

This is for your kind consideration and records. Kindly acknowledge the same.

Thanking you,

Yours Sincerely,

For, **Birla Carbon India Private Limited**
(Unit – Patalganga)

Authorised Signatory

CC: 1) MoEF Delhi
2) MPCB, Sion
3) CPCB, Delhi

Encl:

Part A: Current Status of Construction Work.
Part B: Point wise compliance status.
Part C: Enclosures.
Part D: Annexure.

Birla Carbon India Private Limited

[Formerly known as SKI Carbon Black (India) Private Limited]

Unit: Patalganga, Village: Lohop-Talvali,

Taluka: Khalapur, District: Raigad – 410207, Maharashtra, India

Telephone: +91 9702436333, 9702245353, Email: info@adityabirla.com

Registered Office: Aditya Birla Centre, S.K. Ahire Marg, Worli, Mumbai 400 030, India

T: +91 22 6652 5000 / 2499 5000 | F: +91 22 2499 5729 | W: www.birlacarbon.com | CIN : U23201MH2013PTC241741

- : LIST OF ENCLOSED DOCUMENTS:-

SR. NO.	PARTICULARS	ENCLOSURE
PART A	CURRENT STATUS OF WORK	
PART B	POINT WISE COMPLIANCE STATUS	
PART C	ENCLOSURE	
1	Data Sheet in Format	Enclosure-1 with Part-I, Part-II & Part-III
2	Environmental Clearance Copy for Electricity	Enclosure-2
3	Environmental Clearance Copy for Carbon Black	Enclosure-3
4	Consent to Operate from Maharashtra Pollution Control Board	Enclosure-4
PART D	ANNEXURE	
1	Air Pollution Control Details	Annexure -1
2	RWH Details	Annexure -2
3	Facilities provided for the workers / Contractors/ Drivers	Annexure -3
4	Green belt development plan	Annexure -4
5	Monitoring report	Annexure -5
6	Advertisement copy	Annexure-6
7	EMP and DMP	Annexure -7
8	Funds spent on Environmental Protection measures	Annexure -8
9	MWML certificate of registration	Annexure - 9

PART A

Current Status of Construction Work

CURRENT STATUS OF WORK

- Status of construction** : Construction is completed
- Date of commencement** : Not Applicable
(Actual and/or planned)
- Date of completion** : Not Applicable
(Actual and/of planned)

PART B

Point Wise Compliance Status

: PART B:

POINT-WISE COMPLIANCE STATUS

Point-Wise Compliance Status to Various Stipulations Laid Down by the Ministry of Environment and Forests in its Clearance Letter No. J-13011/35/2007-1A.H (I) dated 28.09.2007 as follows.

Sr. No	Condition	Status
1	The environmental clearance for the main carbon black plant, as applicable shall be obtained separately.	Carbon Black Environment Clearance received with J-11011/35/2007-1A-H (I) dated 22.03.2013
2	Lean gases generated from existing process plant shall only be utilized. No other fuel shall be used for the power plant.	Lean gases generated from existing process plant is only utilized for co-generation. No other fuel is used.
3	Effective safeguard measures shall be taken to ensure that the SPM levels do not exceed the prescribed standards.	Air Pollution Control Equipment are provided. Details given in Annexure - 1
4	A stack of 103 Meter height with exit velocity of at least 13.85m/s shall be provided with continuous online monitoring system for disposal of waste gases.	Stack of 108 meter is constructed and in operation.
5	Closed circuit cooling system with cooling towers shall be provided. COC of at least 8 shall be adopted.	Complied.
6	Rain water harvesting shall be practiced. A detailed scheme for Rain Water Harvesting shall be prepared in consultation with Central Ground Water Authority / State Ground water Board and a copy of the same shall be submitted within three months to Ministry.	Collection from reservoirs and clarifier already implemented. For RWH please refer Annexure - 2.
7	First-aid and sanitation arrangements shall be made for the drivers and other contractors during construction phase.	Complied. Facilities provided for the workers / Contractors / Drivers Annexure - 3.
8	Leq of noise level should be limited to 75 dB (A) and regular maintenance of equipment be undertaken.	Maintenance of equipment's is carried out at regular intervals to maintain their performance. New initiatives are being taken to further reduce the noise levels.

9	Greenbelt shall be developed all around the plant boundary covering 1/3 of the project area.	We have already planted 10000 trees and approximately 20 acre is covered under green belt. Additionally we are going to plant 3000 more trees and cover rest of available open area under Green Belt development plan. Refer Annexure- 4
10	Regular monitoring of the ambient air quality shall be carried out in and around the power plant and records maintained. The location of the monitoring stations and frequency of monitoring shall be decided in consultation with SPCB. Periodic reports shall be submitted to the Regional Office of this Ministry.	Regular monitoring of the ambient air quality, Noise and Water Samples is being carried out. And the reports of the same submitted to MPCB on monthly basis Please refer Annexure- 5.
11	The project proponent shall advertise in at least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language Of the locality concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letters are available with the State Pollution Control Board / Committee and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in .	Public notice has been published in English in Indian Express and in Marathi in Sakal daily on 13/10/2007 intimating about the Environmental Clearance issued for the project by MoEF. For this please refer Annexure- 6.
12	A separate environment monitoring cell with suitable qualified staff should be set up for implementation of the stipulated environmental safeguards.	Environmental Management Plan and Disaster management plan is made. Details Given in Annexure -7.
13	Half yearly report on the status of implementation of the stipulated conditions and environmental safeguards should be submitted to this Ministry, its Regional Office at Nagpur, CPCB and SPCB.	Noted and complied.
14	Regional Office of the Ministry of Environment & Forests located at Bhopal will monitor the implementation of the stipulated conditions. A complete set of documents including Environmental Impact Assessment Report and Environment Management Plan shall be forwarded to the Regional Office for their use during monitoring.	Noted.

15	Separate funds should be allocated for implementation of environmental protection measures along with item-wise break-up. This cost should be included as part of the project cost. The funds earmarked for the environment protection measures should not be diverted for other purposes and year-wise expenditure should be reported to the Ministry.	Earmarked funds have been spent on environmental protection measures towards capital cost for bags filters, RO plant, Triple effect evaporators, vent scrubbers, stacks. Refer Annexure 8
16	Full cooperation should be extended to the Scientists/Officers from the Ministry/Regional Office of the Ministry at Bhopal/the CPCB/the SPCB who would be monitoring the compliance of environmental status.	Full cooperation shall be extended to the all statutory bodies which will be monitoring the compliance of environmental status.
17	The Ministry reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the Ministry.	Noted
18	The environmental clearance accorded shall be valid for a period of 5 years to start of production operations by the power plant.	Noted.
19	In case of any deviation or alteration in the proposed project from those submitted to this Ministry for clearance, a fresh reference should be made to the Ministry to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.	Noted.
20	The above stipulations shall be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, The Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, the Public Liability Insurance Act, 1991 and rules there under.	Noted.

: PART B:

POINT-WISE COMPLIANCE STATUS

Point-Wise Compliance Status to Various Stipulations Laid Down by the Ministry of Environment and Forests in its Clearance Letter No. J-11011/35/2007-IA.II (T) dated 22.03.2013 as follows.

Sr. No	Condition	Status
	Specific Conditions-	
1	Permission and recommendations of the State Forest Department regarding impact of the proposed plant on the reserve forests located near to 4 nos. of reserve forests shall be obtained and recommendations shall be implemented satisfactorily. Copy of permission shall be submitted to the respective Regional Office.	Permission obtained. Copy submitted to regional office
2	As proposed, vent scrubber in the reactor area, main bag filter in the product separation area, process bag filter in the pelletizing area, purge gas filter in the product drying area, dryer combustor in the dryer area and packing exhaust filter in the packing area shall be provided to control air emissions	All proposed equipment's in respective area provided
3	The gaseous emissions (SO ₂ , NO _x , CO and HC) and particulate matter from existing and proposed boiler, dryer, purge gas filter, packing exhaust filter units shall conform to the norms prescribed by the Central Pollution Control Board (CPCB)/Maharashtra Pollution Control Board (MPCB) from time to time. At no time, the emission levels shall go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack emissions shall be monitored regularly	Noted. Regular monitoring is done by MoEF Approved laboratory Annexure - 5
4	Continuous stack monitoring of stacks for SO ₂ , NO _x and CO and recording facilities shall be installed along with interlocking facilities. As proposed, particulate matter shall be monitored in the stack manually. Data for particulate matter, SO ₂ , NO and CO shall be displayed on web as well as outside the premises at prominent place for public viewing.	Noted. Online monitoring of SO ₂ and NO _x are installed. Online CO monitoring and Environment data display on website started from October 2013

5	As proposed, this being an existing plant Sulphur content in the feed stock i.e. Carbon Black Feed Stock (CBFS) shall not exceed 2.5% at any time	Same is ensured
6	Ambient air quality data shall be collected as per NAAQES standards notified by the Ministry vide G.S.R. No. 826(E) dated 16th September, 2009.	Complied. Reports attached for reference Annexure -5
7	Poly-Aromatic Hydrocarbon (PAH) shall be monitored in fugitive dust emission area particularly in Packaging Plant. Data shall be properly monitored, recorded, and submitted to the Ministry's Regional Office at Bhopal.	PAH monitored from the packing plant and reports attached vide Annexure -5
8	Industrial exhaust and proper ventilation shall be provided in packaging plant area	Provided
9	The levels of PM ₁₀ , SO ₂ , NO _x , CO and HC (Non-methane) shall be monitored in the ambient air. Data of stack monitoring and ambient air shall be displayed on web as well as outside the premises at prominent place for public viewing. The company shall upload the results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and MPCB.	Noted. Online monitoring of SO ₂ and NO _x , CO installed, and Environment data display on website started from October'2013. Annexure: for data monitoring of levels of PM ₁₀ , SO ₂ , NO _x , CO and HC (Non-methane) in the ambient air is enclosed vide Annexure -5
10	In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the MPCB.	All processes are in closed handling and DCS controlled. To control dust emissions, Dust collection system in Product Packing area is being further strengthened Regular monitoring of the ambient air quality, Soil, Noise and Water Samples is being carried out. And the report of the same submitted to SPCB on monthly basis Please refer Annexure -5 Unloading area handles Liquid raw Material. The area is fully concreted. There is an oil skimmer to collect Liquid spillages, if any. The product area has got cleaning facilities. MPCB limits are complied.
11	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	Acoustic enclosure provided for the DG. As per CPCB standard, its stack height is 43 mtr.



12	Total fresh water requirement from Patalganga River shall not exceed 4000 m ³ /day. No ground water shall be used. Steps should also be identified to conserve water and measures adopted for minimizing the same.	No water extracted from the ground and also we complied the rain water harvesting project to conserve the rain water please refer Annexure – 02 Studies are underway to assess the feasibility of collecting Hill side water.
13	Effluent generated shall be treated in the ETP comprising RO and rejects shall be concentrated in MEE. Permeate from RO and condensate shall be recycled / reused in the cooling tower make up water. Oil water stream shall be treated in Oil water separator. Sewage shall be treated in sewage treatment plant (STP) and treated wastewater shall be used for cooling water make up. Treated effluent shall be recycled / reused within the factory premises. Treated effluent quality shall be monitored regularly and conform to the norms prescribed by the CPCB/MPCB from time to time.	Treated effluent quality is checked on regular basis reports attached vide Annexure -5
14	No treated process effluent shall be discharged outside the premises and Zero discharge shall be ensured.	No effluent discharged outside our premises. Zero discharge ensured.
15	Process effluent/any wastewater shall not be allowed to mix with the storm water. Storm water drain shall be passed through guard pond	Guard pond provided
16	All the solid/hazardous waste including ETP sludge and waste oil shall properly stored at the site as per CPCB guideline. Fine carbon particles generated as solid waste shall be sold to industries for manufacturing low grade rubber goods. MEE sludge shall be sent to TSDF. Oily waste from oil removal tank shall be mixed along with carbon black feed stock and burnt in the furnace.	Separate covered Hazardous waste storage facility is provided within the factory premises
17	Proper and valid authorization and membership shall be obtained from the concerned authorities for the management of solid/hazardous waste and a copy submitted to the Ministry's Regional Office at Bhopal	Authorization and membership obtained (MWML) Annexure-9
18	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSHC) Rules, 1989 as amended time to time. All Transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Noted.

19	Proper housekeeping shall be maintained and no spillage of Carbon Black shall be permitted. Preventive measures shall be taken to avoid and prevent any accidental release of Carbon Black to the environment.	Good Housekeeping Practices within our factory premises are followed. Preventive measures to avoid Carbon spillage are implemented
20	The company shall undertake following waste minimization measures :- a. Metering and control of quantities of active ingredients to minimize waste b. Reuse of by products from the process as raw materials or as raw material substitutes in other processes c. Use of automatic filling to minimize spillage d. Use of Close feed system into batch reactor e. Use of high pressure hoses for equipment cleaning to reduce waste water generation	a. Followed b. By products are used as raw materials for other process c. Automatic filling is used in for finished product Packing d. Close Feed system is used for feeding raw material and other materials into the process e. High pressure hoses are used for cleaning.
21	A proper occupational health monitoring system should be implemented for all personnel / workers in the plant / laboratory and other areas which may have an impact on their health.	Pre-employment medical examination as well as routine periodic medical examination is in practice
22	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the OISD 117 norms.	Noted. Firefighting system is in place as applicable to our industry. A pressurized network and also a set of Dry fire extinguishers are in place.
23	All the workers involved in packing of Carbon Black in Packaging Plant area shall use (PPE) and masks to avoid direct exposure to Carbon Black dust.	Good quality PPE'S provided in packing area
24	All the workers shall be regularly monitored for occupational health for relevant parameters pertaining to industry specific and records maintained.	Periodically medical checkup for workers is in practice and records are maintained.
25	Proper energy conservation measures shall be adopted and a report submitted to the Ministry and its Regional Office at Bhopal.	Energy conservation measures adopted in year 2012-2013 send to Regional office MoEF Bhopal on 19.04.2013
26	As proposed, green belt shall be developed in 21.5 acres out of 65 acres of total land Selection of plant species shall be as per the CPCB guidelines.	We are having the green belt development programme, find the attachment as per Annexure – 4 We shall further extend our green belt on available open area
27	All the recommendations/standards mentioned in the CPCB guidelines for the Carbon Black manufacturers shall be implemented.	Noted and Complied

28	Company shall prepare Corporate Environment Policy as per the Ministry's G.M. No. J-11013/41/2006-IAII(I) dated 26 th April, 2011 within one month from date of issue of letter and submitted to the Ministry's Regional Office.	Corporate Environment Policy prepared and send to Regional office MoEF Bhopal on 19.04.2013
29	Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	Noted & Complied during project stage
	General Conditions-	
30	The project authorities shall strictly adhere to the stipulations made by the Maharashtra Pollution Control Board.	Same is adhered
31	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any	Noted
32	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Four Ambient Air Quality monitoring stations are installed
33	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	DG Sets are provided with acoustic enclosure as well as steam vents of power plant is having provision of silencers to reduce the noise. Noise levels are continuously monitored. Monitoring reports attached vide Annexure :5

34	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	Complied. We have installed rain water harvesting system for warehouse, TG, Admin building roof. We are collecting it and sending in our raw water pond for reuse. Ground water recharging is not possible because of rocky surface.
35	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	EHS Trainings are regular practice in the plant
36	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.	Noted
37	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	CSR activities are going on in near by villages,
38	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Eco-developmental and community welfare measures are taken under CSR Programme
39	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Noted. In-house, we have partial capacity for monitoring environment data such as pH, PM ₁₀ , TDS, Conductivity, Temperature, Chlorides, Silica, Free chlorine, Oil & grease, phosphate. Other environmental data are taken through an MoEF approved Lab.
40	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Find the Enclosure 1,-Part 3

41	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	EC Copies to all local bodies are submitted
42	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and MPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Status reports being submitted regularly and Report display on website is made available.
43	The environmental statement for each financial year ending 31 st March in Form V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment Protection Rules, 1986 as amended subsequently shall also be put on the website of the company along with the status of compliance of environment clearance conditions and shall also be sent to the respective Regional Offices of MOEF by email.	Complied and Form V displayed on Website
44	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied. Public notice has been published in Marathi in Krushival and Sakal daily on 30/03/2013 intimating about the Environmental Clearance issued for the project by MoEF. For this please refer Annexure- 6.
45	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Construction phase of the Project is completed



PART C
Enclosures

PART - I**PROJECT DETAILS****ABOUT THE PROJECT:**

LOCATION	Village: Talvali and Lohop, Tal : Khalapur, Dist : Raigad
TECHNOLOGY	In house
PROJECT COST,	Rs. 490 Crores
COST OF POLLUTION CONTROL MEASURES	Rs. 22.47 Crores
SOURCE OF WATER	Available from Patalganga River

PRODUCT & ITS END USES:

Name of Product	End uses
Multi grade Carbon Black	Rubber processing and chemicals industry. Its largest use is in the manufacture of tyres, and it is also used to produce paints, dyes, inks and conveyor belts.
Electricity	Utilized in house and remaining sold to open access.

PRODUCT & ITS CAPACITY:

Products	Production capacity
Carbon Black	7,000 MT / Month
Electricity	23 MW/H

AREA REQUIREMENT:

Sr. No.	Purpose	Carbon Black Area (Sq. Mt.)	Power Plant Area (Sq. Mt.)	Common Area (Sq. Mt)	TOTAL Area (Sq. Mt.)
1.	Production area including future expansion	46,690.00	21,000.00	--	67,690.00
2.	Material storage area Finished product	7,200.00	--	--	7,200.00
3.	Hazardous chemical storage	5950.00	1490.00	--	7,440.00

Sr. No.	Purpose	Carbon Black Area (Sq. Mt.)	Power Plant Area (Sq. Mt.)	Common Area (Sq. Mt)	TOTAL Area (Sq. Mt.)
4.	Approach road area – All inside roads	25,000.00	5,000.00	--	30,000.00
5.	ETP, STP & Solid waste area	600.00	1,500.00	--	2,100.00
6.	Utilities, water tank, etc	4,500.00	3,000.00	--	7,500.00
7.	Open space area	13,520.00	13,350.00	--	26,870.00
8.	Green belt area	--	--	1,33,200.00	1,33,200.00
9.	Office buildings (admin, stores, workshop, etc)	--	--	8,000.00	8,000.00
	TOTAL PLOT AREA	1,03,460.00	45,340.00	1,41,200.00	2,90,000.00

WATER REQUIREMENT:

Daily water requirement of the proposed plants in m³/day will be as follows:

Sr. No.	Detail	M ³ /day
1.	Process	4610
2.	Gardening	350
3.	Domestic	80
	TOTAL	5040

POWER REQUIREMENT:

The proposed plants will require a power as follows:

Sr. No.	Requirement	KW
1.	Process (Production)	5000
2.	Utility	2000
3.	Administration Block	400
4.	Lighting	600
	TOTAL	8000

MONITORING THE IMPLEMENTATION OF ENVIRONMENTAL SAFEGUARDS
 MINISTRY OF ENVIRONMENT & FOREST
 WESTERN REGION, REGIONAL OFFICE, NAGPUR
DATA SHEET

Date: 1st Dec 2019

1.	Project type: River - valley/ Mining / Industry / Thermal / Nuclear / Other (specify)	:	Carbon Black manufacturing Thermal – cogeneration
2.	Name of the project	:	Birla Carbon India Private Limited
3.	Clearance letter (s) / OM No. and Date	:	1) EC for power plant:- J- 13011/35/2007-IA,II(T) dt. September 28,2007 2) EC for Carbon Black plant:- J- 11011/35/2007-IA-II (I) dt. 22 nd March 2013.
4.	Location :		
	a.	District (S)	: Raigad
	b.	State (s)	: Maharashtra
	c.	Latitude/ Longitude	: Latitude – 18 deg. 51 ' N Longitude – 73 deg 12 ' E
5.	Address for correspondence		
	a.	Address of Concerned Project Chief Engineer (with pin code & Telephone / telex / fax numbers	: Mr. Sambit Rath Sr. Manager - Project M/s. Birla Carbon India Pvt. Ltd. VILLAGE : LOHOP,TALVALLI, PATALGANGA, TALUKA : KHALAPUR, DIST. RAIGAD – 410 207 MAHARASHTRA, INDIA. Phone 021922202050
	b.	Address of Executive Project: Engineer/Manager (with pincode/ Fax numbers)	: Same As Above
6.	Salient features		
	a.	of the project	: PART –I –Project Details
	b.	of the environmental management plans	: PART –II - EMP
7.	Break up of the project area:		
	a.	submergence area forest & non-forest	: Not applicable
	b.	Others	: PART –I – Project Details
8.	Break up of the project affected Population with enumeration of Those losing houses / dwelling units Only agricultural land only, both Dwelling units & agricultural Land & landless labourers/artisan		
			: Not Applicable.

	a.	SC, SI/Adivasis	:	Not Applicable
	b.	Others (Please indicate whether these Figures are based on any scientific And systematic survey carried out Or only provisional figures, if a Survey is carried out give details And years of survey)	:	Not Applicable
9.	Financial details :			
	a.	Project cost as originally planned and subsequent revised estimates and the year of price reference :		
	f.	Total Cost of the Project	:	Rs. 490.00 Crores
	b.	Allocation made for environmental management plans with item wise and year wise Break-up.	:	Rs. 22.47 Crores PART - III - Allocation made for environmental management plan
	c.	Benefit cost ratio / Internal rate of Return and the year of assessment	:	--
	d.	Whether (c) includes the Cost of environmental management as shown in the above.	:	Yes
	e.	Actual expenditure incurred on the project so far	:	Rs 316 Crores Only.
	f.	Actual expenditure incurred on the environmental management plans so far.	:	Rs. 22.47 Crores Only.
10.	Forest land requirement			
	a.	The status of approval for diversion of forest land for non-forestry use.	:	Not Applicable
	b.	The status of clearing felling	:	Not Applicable
	c.	The status of compensatory afforestation, if any.	:	Not Applicable
	d.	Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far.	:	Not Applicable
11.	The status of clear felling in Non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information.			
	: Not Applicable			
12.	Status of construction :			
	a.	Date of commencement (Actual and/or planned)	:	Construction completed
	b.	Date of completion (Actual and/or planned)	:	Construction completed
13.	Reasons for the delay if the Project is yet to start			
	: Not Applicable			
14	Dates of site visits :			

	a.	The dates on which the project was monitored by the Regional Office on previous Occasions, if any	:	No
	b.	Date of site visit for this monitoring report.	:	Not Applicable
15.		Details of correspondence with Project authorities for obtaining Action plans/information on Status of compliance to safeguards Other than the routine letters for Logistic support for site visits.	:	Not Applicable
		(The first monitoring report may contain the details of all the Letters issued so far, but the Later reports may cover only the Letters issued subsequently.)	:	Not Applicable

F. No. J-11011/35/2007- IA II (I)
Government of India
Ministry of Environment and Forests
(I.A. Division)

ParyavaranBhawan
CGO Complex, Lodhi Road
New Delhi - 110 003

E-mail : aditya.narayan@nic.in
Telefax : 011: 2436 0549
Dated 22nd March, 2013

To,

M/s Hi-Tech Carbon
(A Unit of Aditya Birla Nuvo Ltd.)
Ahura Centre, 2nd Floor, Near MIDC Office
Mahakali Caves Road, Andheri (E)
Mumbai-400 093, Maharashtra

E-mail : htcnmum@adityabirla.com

**Subject: Carbon Black Plant (1,20,000 TPA) at Patalganga, District Raigad, Maharashtra by M/s
Hi-Tech Carbon – Environmental Clearance reg.**

Ref. : Your letter no. HTC/PTG/UH/MPCB/EC/001 dated 18th March, 2011

Sir,

Kindly refer to your letter dated 18th March, 2011 alongwith project documents including Form I, Terms of References, Pre-feasibility Report, EIA/EMP Report and subsequent clarification/additional information submitted vide letter dated 21st July, 2011 regarding above mentioned project.

2.0 The Ministry of Environment and Forests has examined the application. It is noted that the proposal is for an integrated Carbon Black Manufacturing Unit alongwith CPP (25 MW) at Patalganga, District Raigad, Maharashtra. This is an operational unit. Environmental clearance for CPP (25 MW) was accorded by the Ministry vide letter no. J-13011/35/2007-IA-II(T) dated 28th September, 2007. Total plot area is 65 acres. Total project cost is Rs. 470 Crores. Patalganga and Balganga rivers are flowing in the study area. 4 nos. of reserve forests are located within 10 km.

3.0 Ventury scrubber (4 Nos.) are provided in the reactor area. Bagfilter (2 Nos.) are provided in the product separation area. Process bagfilter (3 Nos.) are installed in the pelletising area. Purge gas filter, Dryer combustor, packing exhaust filter and boiler combustor are installed in the product drying area, dryer area, packing area and boiler area respectively. Total fresh water requirement from Patalganga River will 4000 m³/day. Industrial effluent generation will be 756 m³/day and treated in the effluent treatment plant (ETP) comprising reverse osmosis (RO) and rejects will be concentrated in multiple effect evaporators (MEE). Permeate from RO and condensate will be recycled/reused in the cooling tower make up water. Oil water stream will be treated in oil water separator. Sewage will be treated in sewage treatment plant (STP). Treated effluent will be recycled/reused within the factory premises. No effluent will be discharged outside the premises and 'Zero' discharge concept will be adopted. ETP sludge and MEE sludge will be sent to the treatment storage disposal facility for hazardous waste (TSDF). Oil sludge will be mixed with carbon feed stock and burnt in the furnace.

4.0 Public hearing was exempted as per Section 7 (ii) of EIA Notification, 2006.

5.0 All the carbon black manufacturing units are covered under petrochemical based processing units and listed at S.N. 5(e) under Category 'A' due to location outside notified industrial area and appraised at the central level.

6.0 The proposal was considered by the Expert Appraisal Committee (Industry-2) in its 24th and 33rd meetings held during 22nd-23rd June, 2011 and 21st-22nd March, 2012 respectively. The Committee recommended the proposal for environmental clearance. M/s Hi-Tech Carbon passed a resolution in a meeting of the Board of Directors held on 13.07.2012 that violation of the Environmental (Protection) Act, 1986 will not be repeated. A copy of Board Resolution is Annexed. Maharashtra Pollution Control Board has filed a regular criminal complaint (No. 33/2013) against the Company for commencing construction activities without environmental clearance.

7.0 Based on the information submitted by the project proponent, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. SPECIFIC CONDITIONS:

- i) Permission and recommendations of the State Forest Department regarding impact of the proposed plant on the reserve forests located near to 4 nos. of reserve forests shall be obtained and recommendations shall be implemented satisfactorily. Copy of permission shall be submitted to the respective Regional Office.
- ii) As proposed, vent scrubber in the reactor area, main bag filter in the product separation area, process bag filter in the pelletising area, purge gas filter in the product drying area, dryer combustor in the dryer area and packing exhaust filter in the packing area shall be provided to control air emissions.
- iii) The gaseous emissions (SO₂, NO_x, CO and HC) and particulate matter from existing and proposed boiler, dryer, purge gas filter, packing exhaust filter units shall conform to the norms prescribed by the Central Pollution Control Board (CPCB)/Maharashtra Pollution Control Board (MPCB) from time to time. At no time, the emission levels shall go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack emissions shall be monitored regularly.
- iv) Continuous stack monitoring of stacks for SO₂, NO_x and CO and recording facilities shall be installed alongwith interlocking facilities. As proposed, particulate matter shall be monitored in the stack manually. Data for particulate matter, SO₂, NO_x and CO shall be displayed on web as well as outside the premises at prominent place for public viewing.
- v) As proposed, this being an existing plant Sulphur content in the feed stock i.e. Carbon Black Feed Stock (CBFS) shall not exceed 2.5% at any time.
- vi) Ambient air quality data shall be collected as per NAAQES standards notified by the Ministry vide G.S.R. No. 326(E) dated 16th September, 2009.
- vii) Poly-Aromatic Hydrocarbon (PAH) shall be monitored in fugitive dust emission area particularly in Packaging Plant. Data shall be properly monitored, recorded, and submitted to the Ministry's Regional Office at Bhopal.
- viii) Industrial exhaust and proper ventilation shall be provided in packaging plant area.
- ix) The levels of PM₁₀, SO₂, NO_x, CO and HC (Non-methane) shall be monitored in the ambient air. Data of stack monitoring and ambient air shall be displayed on web as well as outside the premises at prominent place for public viewing. The company shall upload the results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and MPCB.

- x) In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the MPCB.
- xi) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.
- xii) Total fresh water requirement from Patalganga River shall not exceed 4000 m³/day. No ground water shall be used. Steps should also be identified to conserve water and measures adopted for minimizing the same.
- xiii) Effluent generated shall be treated in the ETP comprising RO and rejects shall be concentrated in MEE. Permeate from RO and condensate shall be recycled/reused in the cooling tower make up water. Oil water stream shall be treated in Oil water separator. Sewage shall be treated in sewage treatment plant (STP) and treated wastewater shall be used for cooling water make up. Treated effluent shall be recycled/reused within the factory premises. Treated effluent quality shall be monitored regularly and conform to the norms prescribed by the CPCB/MPCB from time to time.
- xiv) No treated process effluent shall be discharged outside the premises and Zero discharge shall be ensured.
- xv) Process effluent/any wastewater shall not be allowed to mix with the storm water. Storm water drain shall be passed through guard pond.
- xvi) All the solid/hazardous waste including ETP sludge and waste oil shall properly stored at the site as per CPCB guideline. Fine carbon particles generated as solid waste shall be sold to industries for manufacturing low grade rubber goods. MEE sludge shall be sent to TSD. Oily waste from oil removal tank shall be mixed along with carbon black feed stock and burnt in the furnace.
- xvii) Proper and valid authorization and membership shall be obtained from the concerned authorities for the management of solid/hazardous waste and a copy submitted to the Ministry's Regional Office at Bhopal.
- xviii) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSHC) Rules, 1989 as amended time to time. All Transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
- xix) Proper house keeping shall be maintained and no spillage of Carbon Black shall be permitted. Preventive measures shall be taken to avoid and prevent any accidental release of Carbon Black to the environment.
- xx) The company shall undertake following waste minimization measures :-
 - a. Metering and control of quantities of active ingredients to minimize waste.
 - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
 - c. Use of automated filling to minimize spillage.

- d. Use of Close Feed system into batch reactors.
- e. Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- xxi) A proper occupational health monitoring system should be implemented for all personnel / workers in the plant / laboratory and other areas which may have an impact on their health.
- xxii) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the OISD 117 norms.
- xxiii) All the workers involved in packing of Carbon Black in Packaging Plant area shall use (PPE) and masks to avoid direct exposure to Carbon Black dust.
- xxiv) All the workers shall be regularly monitored for occupational health for relevant parameters pertaining to industry specific and records maintained.
- xxv) Proper energy conservation measures shall be adopted and a report submitted to the Ministry and its Regional Office at Bhopal.
- xxvi) As proposed, green belt shall be developed in 21.5 acres out of 65 acres of total land. Selection of plant species shall be as per the CPCB guidelines.
- xxvii) All the recommendations/standards mentioned in the CPCB guidelines for the Carbon Black manufacturers shall be implemented.
- xxviii) Company shall prepare Corporate Environment Policy as per the Ministry's O.M. No. J-11013/41/2006-IA.II(I) dated 26th April, 2011 within one month from date of issue of letter and submitted to the Ministry's Regional Office.
- xxix) Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.

B. GENERAL CONDITIONS:

- i. The project authorities shall strictly adhere to the stipulations made by the Maharashtra Pollution Control Board.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers,

enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

- v. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vi. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- vii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.
- viii. The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- ix. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- x. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xi. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- xii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParisad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- xiii. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and MPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xiv. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- xv. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at


<http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

- xvi. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

8.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.


9.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

10.0 The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-Boundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.


(A.N. Singh)
Dy. Director (S)

Copy to :-

1. The Principal Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, Mumbai - 400 032
2. The Chief Conservator of Forests (Central), Kendriya Paryavaran Bhavan, Link Road No.3, Bhopal-462016.
3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
4. The Chairman, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022.
5. The Joint Secretary, IA II(i), Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi.
6. Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi.
7. Guard File/Monitoring File/Record File.


(A.N. Singh)
Dy. Director (S)

By Speed Post

No.J-13011/35/2007-IA.II(T)
Government of India
Ministry of Environment & Forests

Paryavaran Bhawan,
CGO Complex, Lodi Road,
New Delhi-11003.

Dated: 28th September, 2007

To

M/s Hi-Tech Carbon
(A Unit of Aditya Birla Nuvo Ltd)
Ahura Centre, 2nd Floor, Near MIDC Office
Mahakali Caves Road, Andheri (E)
Mumbai- 400 093, Maharashtra

Sub: 25 MW Lean Gas based Power Project at Patalganga, District Raigad, Maharashtra by M/s Hi-Tech Carbon- Environmental Clearance regarding.

Sir,

The undersigned is directed to refer to your communication no. nil dated 28th May, 2007 on the above mentioned subject.

2. The proposal is for setting up of a 25 MW Lean Gas based Cogeneration Power Project at Patalganga, District Raigad, Maharashtra. The land requirement for the power plant is estimated as 11 acres. The water requirement including the carbon black plant is estimated as 7200 m³/day, which will be obtained from Patalganga river. No National Park/Sanctuary is reported within 10 km of the project area. Public hearing was held on 22.05.2007.

3. The proposal has been considered in accordance with para 12 of the EIA Notification dated 14th September, 2006 read with para 2.2.1 (i) (a) of the Circular No. J-11013/41/2006-IA.II(I) dated 13.10.2006. Based on the recommendations of the Expert Appraisal Committee for Thermal Power and Coal Mine Projects, the Ministry of Environment & Forests hereby accords environmental clearance to the

said 25 MW cogeneration power project under the provisions of EIA Notification 2006, subject to implementation of the following terms and conditions:-

- (i) The environmental clearance for the main carbon black plant, as applicable, shall be obtained separately.
- (ii) Lean gases generated from the existing process plant shall only be utilized. No other fuel shall be used for the power plant.
- (iii) Effective safeguard measures shall be taken to ensure that the SPM levels do not exceed the prescribed standards.
- (iv) A stack of 103 m height with exit velocity of at least 13.85 m/s shall be provided with continuous online monitoring system for disposal of waste gases.
- (v) Closed circuit cooling system with cooling towers shall be provided. COC of at least 6 shall be adopted.
- (vi) Rain water harvesting shall be practiced. A detailed scheme for rain water harvesting shall be prepared in consultation with Central Ground Water Authority / State Ground Water Board and a copy of the same shall be submitted within three months to the Ministry.
- (vii) First aid and sanitation arrangements shall be made for the drivers and other contract workers during construction phase.
- (viii) Leq of noise level should be limited to 75 dBA and regular maintenance of equipment be undertaken. For people working in the high noise areas, personal protection devices should be provided.
- (ix) Greenbelt shall be developed all around the plant boundary covering 1/3 of the project area.
- (x) Regular monitoring of the ambient air quality shall be carried out in and around the power plant and records maintained. The location of the monitoring stations and frequency of monitoring shall be decided in consultation with SPCB. Periodic reports shall be submitted to the Regional Office of this Ministry.
- (xi) The project proponent shall advertise in at least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned within seven days of

issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letters are available with the State Pollution Control Board / Committee and may also be seen at Website of the Ministry of Environment and Forests at <http://envfor.nic.in>.


- (xii) A separate environment monitoring cell with suitable qualified staff should be set up for implementation of the stipulated environmental safeguards.
 - (xiii) Half yearly report on the status of implementation of the stipulated conditions and environmental safeguards should be submitted to this Ministry, its Regional Office at Bhopal, CPCB and SPCB.
 - (xiv) Regional Office of the Ministry of Environment & Forests located at Bhopal will monitor the implementation of the stipulated conditions. A complete set of documents including Environmental Impact Assessment Report and Environment Management Plan shall be forwarded to the Regional Office for their use during monitoring.
 - (xv) Separate funds should be allocated for implementation of environmental protection measures along with item-wise break-up. This cost should be included as part of the project cost. The funds earmarked for the environment protection measures should not be diverted for other purposes and year-wise expenditure should be reported to the Ministry.
 - (xvi) Full cooperation should be extended to the Scientists/Officers from the Ministry/Regional Office of the Ministry at Bhopal/the CPCB/the SPCB who would be monitoring the compliance of environmental status.
4. The Ministry reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the Ministry.
 5. The environmental clearance accorded shall be valid for a period of 5 years to start of production operations by the power plant.
 6. In case of any deviation or alteration in the proposed project from those submitted to this Ministry for clearance, a fresh reference should be made to the Ministry to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
 7. The above stipulations shall be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, The

Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, the Public Liability Insurance Act, 1991 and rules there under.

(Dr. S.K. Aggarwal)
Director

Copy to:

1. The Secretary, Ministry of Power, Shram Shakti Bhawan, Rafi Marg, New Delhi-110001.
2. The Secretary, Department of Energy and Environment, Govt. of Maharashtra, Mantralaya, Mumbai-400032, Maharashtra.
3. The Chairman, Central Electricity Authority, Sewa Bhawan, R.K. Puram, New Delhi-110066.
4. The Chairman, Maharashtra Pollution Control Board, Kalptaru point 3rd & 4th Floor Sion Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, near Sion Circle, Sion(East), Mumbai-400022 - **with request to display a copy of the clearance letter at the Regional Office, District Industries Centre and Collector's office for 30 days.**
5. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.
6. The Chief Conservator of Forests, Western Regional Office, Ministry of Environment & Forests, E-3/240, Arera Colony, Bhopal-462016.
7. Director (EJ), MOEF
8. Guard file.
9. Monitoring file.


(Dr. S.K. Aggarwal)
Director

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781/
4037124/4035273
Fax : 24044532/4024068 /4023516
Email : cac-cell@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kulpataru Point, 3rd & 4th floor, Sion-Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E),
Mumbai - 400 022

No. MPCB/UAN No. 0000002273 & 2318/CAC-Cell/Amend-1903000029 Date: 11/03/2019

AMENDMENT IN CONSENT

Subject: Amendment in Consent to Operate for change in name of M/s SKI Carbon Black (India) Pvt. Ltd., Village Lohop, Patalganga, Tal. Khalapur, Dist. Raigad - 410 207.

- Ref.-
1. Consent granted vide no. Fermat 1.0/BO/CAC-Cell/EIC No. RD-3003-15, RD-3078-15/6th CAC-11662 dtd. 03/09/2015 valid up to 30/03/2020.
 2. Industry application UAN No. 0000002273 & 2318 dtd. 19 & 23/01/2019.
 3. Minutes of Consent Appraisal Committee meeting held on 28/11/2014.

The Consent to Operate granted under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and an Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 to M/s SKI Carbon Black (India) Pvt. Ltd., Village Lohop, Patalganga, Tal. Khalapur, Dist. Raigad - 410 207 is hereby amended as below:

1. The name of the industry shall be read as M/s Birla Carbon India Pvt. Ltd. in place of M/s SKI Carbon Black (India) Pvt. Ltd.
2. Industry shall submit the feasibility reports of Pollution Control Equipments in the Board within 3 months.
3. Industry shall submit due diligence report to the effect of contamination assessment during transfer of the property within 3 months.

All other conditions of the Consent referred at Ref. No. 1 shall remain unchanged.

This amendment is valid only along with the Consent referred at Ref. No. 1 above.

For and on behalf of the
Maharashtra Pollution Control Board

(E. Ravendran, IAS)
Member Secretary

To,
M/s Birla Carbon India Pvt. Ltd.,
Village Lohop, Patalganga, Tal. Khalapur,
Dist. Raigad - 410 207.

Copy to:

1. Regional Officer (Raigad)/ Sub-Regional Officer (Raigad-I), M.P.C. Board.
2. Chief Accounts officer, M.P.C. Board, Mumbai.
3. CAC Cell, M.P.C. Board, Mumbai.

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No :- *Format 1.0/ BO/CAC-Cell/EIC No RD-3003-15, RD-3078-15/6thCAC-11662*
Date: 03/09/2015

To,
M/s SKI Carbon Black (India) Pvt Ltd
(Unit: Hitech Carbon, Patalganga),
Village Lohop, Patalganga
Taluka Khalapur
Dist Raigad 410207

Subject: 1st operate for additional stand-by reactor, 1st operate for use of natural gas as substitute fuel & installation of decanter & storage tank , renewal of existing consent and amalgamation of three consents under RED category.

- Ref : 1. Earlier Consent granted vide no. BO/RO-Raigad/PCI-1/EIC1477-10/O/CC-187 dtd 28.08.2010,
2. Earlier Consent granted vide no. Format1.0/BO/CAC-Cell/EIC No PN-18134-13/16TH CAC-618 dtd 20.01.2014,
3. Earlier Consent granted vide no. Format1.0/BO/CAC-Cell/EIC No RD-2680-14/CAC-5874 dtd 21.06.2014,
4. Your application approved in CAC meeting held on 06.08.2015.

Your application: CO1504000132, CR1502000367

Dated: 11.03.2015, 10.02.2015

For: 1st operate for additional stand-by reactor, 1st operate for use of natural gas as substitute fuel & installation of decanter & storage tank , renewal of existing consent and amalgamation of three consents.

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period from 01.04.2015 to 30.03.2020.
- The actual capital investment of the industry is Rs.290 Crs. (As per C.A Certificate submitted by industry)
- The Consent is valid for the manufacture of-

Sr. No.	Product / By-Product Name	Maximum Quantity
1	Carbon black	7000MT/M
2	Electricity generation through waste heat recovery (Co-Generation)	23 MW

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	396.2	As per Schedule -I	Zero discharge

2.	Domestic effluent	43.2	As per Schedule -I	On land for gardening
----	-------------------	------	--------------------	-----------------------

5. Conditions under Air (P& CP) Act, 1981 for air emissions:


Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler	1	As per Schedule -II
2.	Dryer (2 nos)	2	As per Schedule -II
3.	DG set	2	As per Schedule -II

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Chemical sludge from Waste water treatment	34.3	17	MT/Month	—	CHWTSDF
2	Oily Sludge	1.3	0.72	MT/D	—	CHWTSDF
3	Used /Spent oil	5.1	100	KL/A	—	CHWTSDF
4	Used oil filters		25	nos/A	—	CHWTSDF
5	Discarded container/barrels contaminated with hazardous waste	33.3	150	nos/M	—	CHWTSDF
6	Resins	34.2	3000	lit/Once in three years	—	CHWTSDF
7	Carbon contaminated filter bags	33.3	5000	Nos/ Once in three years	—	CHWTSDF

7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. P. Ambalagan, IAS)
Member Secretary


Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	75100	015217	09.03.2015	HDFC Bank
2	2903400	000551	16.01.2015	HDFC Bank

The balance fees Rs. 28500/- with the Board will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer -Raigad and Sub-Regional Officer-Raigad-1, MPCB: They are directed to ensure the compliance of the consent conditions. RO is directed to return the existing BG of Rs. 5 lakhs each obtained for compliance of RRZ Policy as per consent condition no 12 of consent dated 20.01.2014 & condition no 12 of consent dated 21.06.2014 as the RRZ policy, 2009 has been scrapped vide GR of GoM dated 03.02.2015.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.



Maharashtra Pollution Control Board

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A) As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 720 CMD.
- B) The treated effluent shall be 100% recycled in the process to achieve zero discharge. In no case effluent shall find its way for gardening/outside factory premises.
- 2) A) As per your consent application, you have provided the sewage treatment system with the design capacity of 70 CMD.
- B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 60 | mg/l. |
| (2) | BOD 3 days 27°C. | Not to exceed | 30 | mg/l. |
| (3) | COD | Not to exceed | 100 | mg/l. |
- C) The treated sewage shall be disposed on land for gardening
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or/and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	4655
2.	Domestic purpose	35
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0
5.	Gardening	350

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Boiler	bag filter	108 Mtr	FO/LSHS	63 T/day	4.5/1	5760/
2	Dryer (2 Nos)	vent scrubber provided	72 Mtr each	OR NATURAL GAS	(FO/LSHS) OR 2400 MMBTU		1260
3	DG set (2 x 1825 KVA)	Stack	32 Mtrs each	HSD	450 LTRS/HR	1	216

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

[Handwritten Signature]

Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs 5 lakhs	Within 15 days from the date of issue of consent	O & M of PCS	30.03.2020	30.07.2020



Maharashtra Pollution Control Board

Schedule-IV


General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

0000

ORGANIZATIONAL STRUCTURE



Part D
Annexure

Scheme for Rain Water Harvesting in Warehouse, Birla Carbon India Private Limited.

Date: 01.06.2018

Introduction:

Rainwater harvesting (RWH) is the ancient practice of collecting rainwater and storing it for later use. RWH systems are comprised of a roof catchment, conveyance network, rainwater storage tank, pump, and fixtures where rainwater is utilized. Most systems also incorporate treatment technologies to improve the quality of rainwater before and/or after storage, and include provisions for periods of insufficient rainfall (a water make-up supply) and times of excessive rainfall (overflow provisions).

In our case we have considered case:

1) Roof top of Warehouse

Water from this source will be utilized in makeup of Reservoir pond.

Components of a rooftop rainwater harvesting system:

Rainwater harvesting systems generally consist of four basic elements:

- (1) a collection (catchment) area
- (2) a conveyance system consisting of pipes and gutters
- (3) a storage facility
- (4) a delivery system consisting of a tap or pump.

(1) **A collection or catchment:** system is generally a simple structure such as roofs and/or gutters that direct rainwater into the storage facility. Roofs are ideal as catchment areas as they easily collect large volumes of rainwater.

The amount and quality of rainwater collected from a catchment area depends upon the rain intensity, roof surface area, type of roofing material and the surrounding environment.

In our case warehouse roof is collection or catchment.

(2) **A conveyance system:** is required to transfer the rainwater from the roof catchment area to the storage system by connecting roof drains (drain pipes) and piping from the roof top to one or more downspouts that transport the rainwater through a filter system to the storage tanks.

In our case existing drain pipes & proposed modified pipe routes is conveyance system.

(3) **Storage tank:** to store harvested rainwater for use when needed. Depending on the space available these tanks can be constructed above grade, partly underground, or below grade.

In our case underground water sump is storage tank

(4) Delivery system: which delivers rainwater and it usually includes pump, a pressure tank and a tap.

In our case transfer water pumps are delivery system

First flush and filter screen:

The first rain drains the dust, bird droppings, leaves, etc. which are found on the roof surface. To prevent these pollutants from entering the storage tank, the first rainwater containing the debris should be diverted or flushed before entering in cooling tower.

Screens to retain larger debris such as leaves can be installed in the down-pipe or at the sump inlet.

Design:

For design purpose we consider the peak rainfall in month of July in this region Pataiganga.

1) Water collection in July from warehouse building Roof:

Total roof area: $84\text{m} \times 47.4\text{m} = 3981.6\text{m}^2$

Run off Coefficient = 0.75 (Roof is made of concrete & sheet)

Average July Rainfall in HTC = 1500mm.

Water collection: $3981.6\text{m}^2 \times 1.5\text{m} \times 0.75 = 4480\text{m}^3/\text{month of July}$

$4480\text{m}^3/31 \text{ days of July} = 144.5\text{m}^3/\text{day} = 6\text{m}^3/\text{hr.}$

Considering two separate header of 8" PVC for collecting water from all sources of both side & line routed through a filter & isolation valve & one first rain drain connection towards water sump with slope 1:50.

Please refer details of line routing in P & ID.



Benefits of rainwater harvesting:

- Rainwater is a relatively clean and free source of water
- Rainwater harvesting provides a source of water at the point where it is needed
- It is owner-operated and managed
- It promotes self-sufficiency and conserves water resources
- Offers potential cost savings especially with rising water costs
- Provides safe water for human consumption after proper treatment
- Low running costs
- Construction, operation and maintenance are not labor-intensive.

Enclosure: P & ID & BOM.

SYNEX TANK
 CAP : 10m³
 DIA : 2.3M
 HF : 2.45M

WATER PUMP
 CAP : 10m³/hr
 ΔP : 2.5 Kg/cm²
 KW : 1.5



BILL OF MATERIAL			
S.NO.	DESCRIPTION	SIZE	QTY.
1	G.I PIPE	2"	15K
2	G.I PIPE	2"	15K
3	STRONGER	2"	4K
4	INTERFLECT VALVE	2"	1
5	REDUCER	2" to 1"	1
6	EXPANDER	2"	1
7	NOV	2"	1
8	INTERFLECT VALVE	2"	1
9	WELL VALVE	2"	1
10	PRESSURE GAUGE	2"	1
11	PRESSURE SWITCH	2"	1


SYNEX TANK	1	10m ³
WATER PUMP	1	10m ³ /hr
2" PVC TANK CAP	1	

HI-TECH CARBON - INDIA
 TITLE: RAIN WATER HARVESTING IN WARE HOUSE

DATE	SCALE	PROJECT
DESIGNED BY	CHECKED BY	DATE
DRAWN BY	APPROVED BY	
PROJECT NO.	ENGINEER	
CLIENT		
LOCATION		

WE GUARANTEE THE QUALITY OF OUR WORK AND WE WILL BE RESPONSIBLE FOR ANY DEFECTS OR OMISSIONS IN OUR WORK. WE WILL BE RESPONSIBLE FOR ANY DEFECTS OR OMISSIONS IN OUR WORK.

AIR POLLUTION CONTROL EQUIPMENTS & MONITORING



□ CONTINUOUS MONITORING ANALYSERS

✱ ENVIRONMENT PROTECTIVE EQUIPMENT

PUBLIC NOTICE

Notice is hereby given that the Board of Directors of the City of Los Angeles, California, has adopted the following resolution:

Resolved, that the City of Los Angeles, California, do hereby authorize the City Manager to execute and deliver to the State of California, a certificate of compliance with the provisions of the State Constitution and the State Finance Law, relating to the City's financial condition for the year ending June 30, 1954.

WITNESSED my hand and the seal of the City of Los Angeles, California, this 15th day of July, 1954.

Mayor

Richard J. Nixon

City of Los Angeles, California

3

~~CONFIDENTIAL~~

PUBLIC NOTICE

IT IS THE POLICY OF THE FEDERAL BUREAU OF INVESTIGATION TO MAKE AVAILABLE TO THE PUBLIC INFORMATION THAT IS NOT OTHERWISE AVAILABLE TO THE PUBLIC AND WHICH IS OF SIGNIFICANT INTEREST TO THE PUBLIC.

THE INFORMATION CONTAINED HEREIN IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE BY THE FOLLOWING:

DATE: 11/15/2001 BY: [REDACTED]

DATE: 11/15/2001 BY: [REDACTED]

DATE: 11/15/2001 BY: [REDACTED]

सूचीबद्ध

संविधान,
पृ. 30 भाग 2-24

सूचकांक

संविधान

२० मार्च २०१३

संघटक तर्जनी प्रकाशक

संविधान

संघटक तर्जनी प्रकाशक संविधान

सं. नं. 1/1011/85/2007-1/11 (1)

२० मार्च २०१३ रोजी प्रकाशित करण्यात आले

(Environmental Clearance) दिली आहे.

आदिवासी संघटक तर्जनी

निवेदन

संघटक तर्जनी प्रकाशक

संघटक तर्जनी प्रकाशक

सं. नं. 1/1011/85/2007-

1/11 (1) २० मार्च २०१३

२०१३ रोजी प्रकाशित

करिता (Environmental

Clearance) दिली आहे.

आदिवासी संघटक तर्जनी

ANNEXURE - 3

FACILITIES PROVIDED TO LABOUR

Project Name: Biria Carbon India Private Limited, (Unit- Patalganga)

Site Address: Village – Lohop and Talavali, Tal. – Khalapur, Dist. - Raigad, Maharashtra

Total Labour hutments = NIL

Total Labour approximate = 317

Facilities provided:

1. No of Toilets provided = 32
2. Drinking water = 13
3. Water tank for domestic and flushing – Provided
4. Electricity is provided
5. Rest room – provided
6. Isolation of Labour hutments from construction activity area for safety purpose
– Not Applicable
7. Cooking aids – Not Applicable

Tree Plantation and Area Covered				
Sr.No	Plant Area	Qty	Area Sqft	Area Sqmtr
1	Pallet Yard	210	42246	3929
2	H.R. Front hill site	168	26340	2450
3	Dandwadi Hill site	90	96920	9015
4	CBFS	570	7400	688
5	Control Room front side	8	1120	104
6	Boiler area	41	2880	267
7	CBFS	89	10720	997
8	D.G Area	32	1050	97
9	Bath house	34	1316	122
10	Gate no 1	145	24400	2269
11	Fuel oil area	34	1332	123
12	Settling pond area	84	1018	94
13	Pipe rack Garden area	40	800	74
14	T.G. Road site	20	1180	109
15	Warehouse	18	561	52
16	West side security tower no 1 & 2	300	80216.5	7462
17	Wall compound (East-west-North side)	1000	21500	2000
18	Area between bath house & settling pond	850	107500	10000
19	Switch yard side	125	28358.5	2638
20	Dandwadi (East – North side)	276	31175	2900
21	Pipe rack road side	20	800	74
22	Reactor road site	40	750	69
23	Labour shed area	90	3000	279
24	Switch yard back site slop area	200	15000	1395
25	Gate no.1	300	87000	8093
	Total Area	4790	594573	55300

[Stamp]

AN ISO 9001:2015
Certified Company
CPL/20/85021/1517

SHREEJI AQUA TREATMENT PVT. LTD.

Industrial Environmental Testing & Control Pvt. Ltd.

Plant: G. A. Shreeji Complex, Narve Nagar, Pune, Pin-411 010
 Warehouse: Plot No.11, Shreeji Park-1, Chinchwad East, Maharashtra, 411 032, India
 Tel: 020-25415000 Fax: 020-25415077 *Customer Care No.: +91 9223047365
 Web: www.shreejienvtest.com *Email: info@shreejienvtest.com

Laboratory Recognised by Ministry of Environment, Forest & Climate Change, Govt. of India

TEST REPORT

Lab Inward No. : 61/20-21/06/MAI-Ma/15	Date of Sampling : 17/06/2020
Client Name : M/s. Shree Carbon India Pvt.Ltd	Start of Analysis : 17/06/2020
Unit : Indalgaon,	End of Analysis : 17/06/2020
Village : Talvel & Lohop,	Report Date : 17/06/2020
Tal: Kolhapur, Dist: Raigad,	Sample Drawn By : SATPL Team on 17/06/2020
Maharashtra, India.	
Order / Reference: As Per FR dated 12.06.2020.	
Monitoring For : Stack Emission Monitoring	
Sampling Procedure : Each Analytical method covers the sampling procedure as well	
Limits : As per MPCB Consent Copy of Customer	

STACK DETAILS

Identification : Boiler (75-TPH)			
Shape	Round	Cross sectional area (m ²)	31.176
Height (m)	308.0	Fuel Used	CO Gas
Material of Construction	RCC	Consumption of Fuel (Ton/hr)	75.0
Temperature (K)	531	Velocity Of Flue Gases (m/s)	9.54
Diameter at port (m)	6.3	Volume Of Flue Gases (Nm ³ /hr)	708166.7



RESULTS

Sr. No.	Description	Results	Unit	Limit	Method
1	Sulphur Dioxide (SO ₂)	275.24	Kg/day	NS	IS 11255 (Part 2)1985
2	Oxides of Nitrogen (NO _x)	20.78	mg/Nm ³	NS	IS 11255 (Part 2)2005
3	Particulate Matter as (PFM)	61.74	mg/Nm ³	150.0	IS 11255 (Part 2)1985
4	Acid Mist	1.95	mg/Nm ³	NS	IS 11255 (Part 2)1985
5	Lead	BDL	µg/Nm ³	NS	SAEPA method 03.07
6	Hydrocarbon as Methane (CH ₄)	BDL	ppm	NS	IS 5182 (Part 1)2005
7	Hydrocarbon as Non-Methane (HC)	BDL	ppm	NS	IS 5182 (Part 2)2005
8	Carbon Monoxide (CO)	128.12	mg/m ³	NS	IS 18270

Note: NS- Not Specified, BDL- Below Detectable Limit.

Remark: Reference to above mentioned monitoring report all the parameters are within the limits.

-----End of Test Report-----



Authorized Signatory

(Signature)

Mr. Pramod Thorbare



SHREEJI AQUA TREATMENT PVT. LTD.

Specialized Environmental Services Provider

Office: B-3, Akshay Complex, Tithi Nagar, Chinchwad, Pune-411 018
 Corporate: Plot No. 3, Shreeji Park - 3, Vadavate, Sector No. 20, MIDC, Vadavate
 Main: 20-A, Shreeji Park, Plot No. 3A, Vadavate, Vadavate, Pune-411 018
 Pin: 411 018
 Tel: 27422931 Fax: 27422932 E-Customer Care No.: 91 9226247345
 Web: www.shreeji.aqua.com E-Mail: info@shreeji.aqua.com

Laboratory Recognised by Ministry of Environment, Forest & Climate Change, Govt. of India

TEST REPORT

Lab Inward No. : SC/20-21/06/166-Mo/14	Date of Sampling : 13/06/2020
Client Name : M/s. Shreeji Aqua Treatment Pvt.Ltd	Start of Analysis : 12/06/2020
Unit - Datalyanga,	End of Analysis : 17/06/2020
Village : Talvadi & Lohar,	Report Date : 17/06/2020
Tal: Bhamburda, Dist: Kolhapur,	Sample Drawn By : SATPL Team on 13/06/2020
Maharashtra, India.	
Order / Reference: As Per TRF dated 12.06.2020	
Monitoring For : Stack Emission Monitoring	
Sampling Procedure : Each analytical method covers the sampling procedure as well	
Units : As per MPCB Consent Copy of Customer	

STACK DETAILS

Identification : DG Set: 1825 KVA (5-3)			
Shape	Round	Cross sectional area (m ²)	0.03
Height (m)	32.0	Fuel Used	HSD
Material of Construction	MS	Consumption of Fuel (L/hr)	-
Temperature (K)	495	Velocity of Flue Gases (m/s)	19.65
Diameter of part (m)	0.254	Volume Of Flue Gases (Nm ³ /hr)	1196.70



RESULTS

Sr. No.	Description	Results	Unit	Limit	Method
1	Sulphur Dioxide (SO ₂)	0.34	Eg/day	215.0	IS 11255 (Part 2)1985
2	Oxides of Nitrogen (NO _x)	15.72	mg/Nm ³	NS	IS 11255 (Part 2)1985
3	Particulate Matter as (PM ₁₀)	67.77	mg/Nm ³	150.0	IS 11255 (Part 2)1985
4	Acid Mist	1.98	mg/Nm ³	NS	IS 11255 (Part 2)1985
5	Lead	BDL	µg/Nm ³	NS	SATPL Method 03.07
6	Hydrocarbon as Methane (CH ₄)	BDL	ppm	NS	IS 5182 (Part 1)2000
7	Hydrocarbon as Non-Methane (HC)	BDL	ppm	NS	IS 5182 (Part 1)2000
8	Carbon Monoxide (CO)	152.4	mg/m ³	NS	IS 13276

Note: NS- Not Specified, BDL- Below Detectable Limit
 Remark: Reference to above mentioned monitoring report all the parameters are within the limits.

---End of Test Report---



Authorized Signatory

Mr. Pramod Thombare



SHREEJI AQUA TREATMENT PVT. LTD.

Specialized Environmental Solutions Under One Roof

Office: G1A, Maheshwar Road, Purna Nagar, Pimpri, Pune-411018
 Warehouse: Plot No. 2, Shahu Ind. Park - 3, Madheshwar Savi Road, Vadgaonk, 411 273 Dist. Vadgaon
 Lab: G-54, Sion Road, Pimpri, Plot No. 53, Purna Nagar, Chinchwad, Pune-411018
 Tel: 020-27423328 • Fax: 020-27423327 • Customer Care No.: 01 8225067360
 Web: www.shreejiqa.com • Email: info@shreejiqa.com

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India

TEST REPORT

Lab Inward No. : SL/20-21/06/AAA-Mo/15	Date of Sampling : 11/06/2020
Client Name : M/s. Sika Carbon India Pvt.Ltd	Start of Analysis : 12/06/2020
Unit: Patalganga, Village : Taleali & Tahop, Tal: Bhalsapur, Dist: Jalgaod, Maharashtra, India.	End of Analysis : 17/06/2020
Order / Reference: As Per YRF dated 12.06.2020	Report Date : 17/06/2020
Monitoring for : Stack Emission Monitoring	Sample Drawn by : SATTI Team on 11/06/2020
Sampling Procedure : Each Analytical method covers the sampling procedure as well	
Limits : As per MPCB Consent Copy of Customer	

STACK DETAILS

Identification : DG Set- 2- (River side) 250 KVA			
Shape	Round	Cross sectional area (m ²)	0.05
Height (m)	3.0	Fuel Used	MSO
Material of Construction	MS	Consumption of Fuel (lit/hr)	-
Temperature (K)	395	Velocity Of Flue Gases (m/s)	2.68
Diameter of port (m)	0.254	Volume Of flue Gases (Nm ³ /hr)	1439.18



RESULTS

Sr. No.	Description	Results	Unit	Limit	Method
1	Sulphur Dioxide (SO ₂)	3.75	Kg/day	NS	IS 31255 (Part 2)1985
2	Oxides of Nitrogen (NO _x)	12.36	mg/Nm ³	NS	IS 31255 (Part 2)2005
3	Particulate Matter as (PM)	66.68	mg/Nm ³	100.0	IS 31255 (Part 2)1985
4	Acid Mist	2.52	mg/Nm ³	NS	IS 31255 (Part 2)1985
5	Lead	BDL	µg/Nm ³	NS	IS 31255 (Part 2)1985
6	Hydrocarbon as Methane (CH ₄)	BDL	ppm	NS	IS 3182 (Part 1)2005
7	Hydrocarbon as Non-Methane (HC)	BDL	ppm	NS	IS 3182 (Part 1)2005
8	Carbon Monoxide (CO)	100.28	mg/ m ³	NS	IS 31270

Note: NS- Not Specified, BDL- Below Detectable Limit.

Remark- 1 Reference to above mentioned monitoring report all the parameters are within the limits.

-----End of Test Report-----



Authorized Signatory

Mr. Pramod Thombare

SHREEJI AQUA TREATMENT PVT. LTD.

Water Treatment Solutions Under One Roof


Plant: 71 A, Shivajinagar, Behind Nigam Tower, Pune-411 018
Head Office: Plot No. 3, Shivajinagar, 2, Underram, Shivajinagar, Landmark, 401 775, Pune, Maharashtra
Lab: 71 A, Shivajinagar, Behind Nigam Tower, Shivajinagar, Pune-411 018
Pin: 411 018 • Fax: 020-27422127 • Customer Care No. +91 9722377383
Web: www.shreejiaqua.com • Email: info@shreejiaqua.com

Laboratory Recognised by Ministry of Environment, Forest & Climate Change, Govt. of India

TEST REPORT

Lab Inward No. : 51/2021/06/MMA-160/22	Date of Sampling : 11/06/2020
Client Name : M/s. Birla Carbon India Pvt.Ltd Unit- Patalganga, Village : Talwad & Lohar, Tal. Shivajinagar, Dist. Shivajinagar, Maharashtra, India.	Start of Analysis : 12/06/2020 End of Analysis : 17/06/2020 Report Date : 17/06/2020 Sample Drawn By : SATPL Team on 11/06/2020
Order / Reference : As Per TRF dated 12.06.2020	
Monitoring for : Stack Emission Monitoring	
Sampling Procedure : Each Analytical method covers the sampling procedure as well	
Units : As per MPCB Consent Copy of Customer	

STACK DETAILS

Identification : PGF No.-02 (S-5)				
Shape	Round	Gross sectional area (m ²)	3.46	
Height (m)	30.0	Fuel Used		
Material of Construction	SS	Consumption of Fuel (kg/hr)	1280.0	
Temperature (K)	408	Velocity Of Flue Gases (m/s)	9.15	
Diameter at port (m)	2.2	Volume Of Flue Gases (Nm ³ /hr)	88624.4	

RESULTS

Sr. No.	Description	Results	Unit	Limit	Method
1	Sulphur Dioxide (SO ₂)	BDL	mg/Nm ³	NS	IS 11255 (Part 2) 1985
2	Oxides of Nitrogen (NO _x)	BDL	mg/Nm ³	NS	IS 11255 (Part 2) 2003
3	Particulate Matter as (PM)	16.37	mg/Nm ³	150.0	IS 11255 (Part 2) 1985
4	Hydrocarbon as Methane (CH ₄)	BDL	ppm	NS	IS 5192 (Part 3) 2003
5	Hydrocarbon as Non-Methane (HC)	BDL	ppm	NS	IS 5192 (Part 2) 2003
6	Carbon Monoxide (CO)	1.12	mg/m ³	NS	IS 33270

Note: NS- Not Specified, BDL- Below Detectable Limit.

Remark: Reference to above mentioned monitoring report all the parameters are within the limits.

--- End of Test Report ---



Authorized Signatory

Mr. Prasad Thembare

SHREEN AQUA TREATMENT PVT. LTD.

Specialty Environmental Solutions Under One Roof

Office: 2/ A, Narayn Complex, Narayn Nagar, Pune, Pune-411 015
 Head Office: Plot No.2, Shreevastu Park - 1, Yashwantrao Chavan Road, Chinchwad, 411 007, Maharashtra
 Phone: 020-27413339 Email: info@shreenaqua.com • Customer Care No. +91 9720307365
 Website: www.shreenaqua.com • Email: info@shreenaqua.com

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India

TEST REPORT

Lab Inward No. : 51/20-21/06/MAI-MO/21	Date of Sampling : 11/06/2020
Client Name : M/s. Aira Carbon India Pvt.Ltd	Start of Analysis : 12/06/2020
Unit: Patalganga, Village : Talva & Lehap, Tal: Khalapur, Dist: Raigad, Maharashtra, India.	End of Analysis : 17/06/2020
Order / Reference: As Per EHS dated 12.06.2020	Report Date : 17/06/2020
Monitoring For : Stack Emission Monitoring	Sample Drawn By : SATPL Team on 11/06/2020

Sampling Procedure : Each Analytical method covers the sampling procedure as well

Limits : As per MPCB Consent Copy of Customer

STACK DETAILS

Identification : PGF No.-01 (S-4)

Shape	Round	Cross sectional area (m ²)	3.46
Height (m)	30.0	Fuel Used	
Material of Construction	MS	Consumption of Fuel (kg/hr)	1200.0
Temperature (K)	402	Velocity Of Flue Gases (m/s)	9.14
Diameter at port (m)	2.1	Volume Of Flue Gases (Nm ³ /hr)	92105.03



RESULTS

Sr. No.	Description	Results	Unit	Limit	Method
1	Sulphur Dioxide (SO ₂)	BDL	mg/Nm ³	NS	IS 11255 (Part 2) 2005
2	Oxides of Nitrogen (NO _x)	BDL	mg/Nm ³	NS	IS 11255 (Part 7) 2005
3	Particulate Matter as (PM)	20.93	mg/Nm ³	150.0	IS 11255 (Part 3) 1985
4	Hydrocarbon as Methane (CH ₄)	BDL	ppm	NS	IS 5182 (Part 17) 2009
5	Hydrocarbon as Non-Methane (HC)	BDL	ppm	NS	IS 5182 (Part 21) 2009
6	Carbon Monoxide (CO)	1.50	mg/m ³	NS	IS 15270

Note: NS- Not Specified, BDL- Below Detectable Limit.


Remark : Reference to above mentioned monitoring report all the parameters are within the limits.

---End of Test Report---



Authorized Signatory

Mr. Pramod Thorbate



SHREE AQUA TREATMENT PVT. LTD.

Head Office: Plot No. 1, Sector-10, Noida, Uttar Pradesh, India-201301
 Maharashtra Office: Plot No. 1, Sector-10, Noida, Uttar Pradesh, India-201301
 Tel: 020-27421949 • Fax: 020-27421947 • Customer Care No. • 91 9229547945
 Web: www.shreeaqua.com • Email: info@shreeaqua.com

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India

TEST REPORT

Lab Inward No. : SL/20-21/06/MAI-Mo/20	Date of Sampling : 11/06/2020
Client Name : M/s. Birla Carbon India Pvt.Ltd Unit: Patalganga, Village : Talvadi & Lohop, Tal: Khalapur, Dist: Jalgaon, Maharashtra, India.	Start of Analysis : 12/06/2020 End of Analysis : 17/06/2020 Report Date : 17/06/2020 Sample Drawn By : SATPL Team on 11/06/2020
Order / Reference: As Per TRF dated 12.06.2020	
Monitoring For : Stack Emission Monitoring	
Sampling Procedure : Each Analytical method covers the sampling procedure as well.	
Limits : As per MOEF Consent Copy of Customer	

STACK DETAILS

Identification : Packaging Exhaust blower			
Shape	Round	Gross sectional area (m ²)	0.331
Height (m)	2.2	Fuel Used	
Material of Construction	SS	Consumption of Fuel (lit/hr)	
Temperature (K)	433	Velocity Of Flue Gases (m/s)	30.09
Diameter at port (m)	0.2	Volume Of Flue Gases (Nm ³ /hr)	781.73



RESULTS

Sr. No.	Description	Results	Unit	Limit	Method
1	Sulphur Dioxide (SO ₂)	9.75	mg/Nm ³	NS	IS 11255 (Part 2) 1985
2	Oxides of Nitrogen (NO _x)	10.90	mg/Nm ³	NS	IS 11255 (Part 2) 2005
3	Particulate Matter as (PM)	60.89	mg/Nm ³	100.0	IS 11255 (Part 3) 1985
4	Hydrocarbon as Methane (CH ₄)	BDL	ppm	NS	IS 5182 (Part 1) 2009
5	Hydrocarbon as Non-Methane (HC)	BDL	ppm	NS	IS 5182 (Part 2) 2009
6	Carbon Monoxide (CO)	1.84	mg/m ³	NS	IS 13276

Note: NS- Not Specified, BDL- Below Detectable Limit.
 Remark: Reference to above mentioned monitoring report as the parameters are within the limits.

---End of Test Report---



Authorized Signatory

Mr. Pramod Thomhare

SHREEJI AQUA TREATMENT PVT. LTD.


Address: 21, A, Sankar Complex, Narayana Road, Pune-411 014
 Maharashtra, India
 Phone: 022-27412020 • Fax: 022-27412177 • Customer Care No.: 022-27412020
 Website: www.shreejipvt.com • Email: info@shreejipvt.com

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India

TEST REPORT

Lab Inward No. : SI/20-21/06/MAI-Mo/19	Date of Sampling : 13/06/2020
Client Name : M/s. Birla Carbon India Pvt.Ltd	Start of Analysis : 12/06/2020
Unit - Patalganga, Village - Talvadi & Lohop, Tal: Khajapur, Dist: Raigad, Maharashtra, India.	End of Analysis : 17/06/2020
Order / Reference: As per TRF dated 12.06.2020	Report Date : 17/06/2020
Monitoring For : Stack Emission Monitoring	Sample Drawn By : SATFL Team on 13/06/2020
Sampling Procedure : Each Analytical method covers the sampling procedure as well	
Limits : As per MPCB Consent Copy of Customer	

STACK DETAILS

Identification : Fire Hydrant Diesel Pump				
Shape	Round	Cross sectional area (m ²)	0.0176	
Height (m)	3.0	Fuel Used	HSD	
Material of Construction	MS	Consumption of Fuel (m ³ /hr)	170.0	
Temperature (K)	300	Velocity Of Flue Gases (m/s)	5.67	
Diameter at part (m)	0.15	Volumic Of flue Gases (Nm ³ /hr)	506.49	

RESULTS

Sr. No.	Description	Results	Unit	Limit	Method
1	Sulphur Dioxide (SO ₂)	8.85	mg/Nm ³	NS	IS 11255 (Part 2)1985
2	Oxides of Nitrogen (NO _x)	13.88	mg/Nm ³	NS	IS 11255 (Part 2)2005
3	Particulate Matter as (PM)	33.16	mg/Nm ³	150.0	IS 11255 (Part 2)1985
4	Hydrocarbon as Methane (CH ₄)	BDL	ppm	NS	IS 5182 (Part 1)2001
5	Hydrocarbon as Non-Methane (HC)	BDL	ppm	NS	IS 5182 (Part 2)2001
6	Carbon Monoxide (CO)	48.74	mg/m ³	NS	IS 13270

Note: NS- Not Specified, BDL- Below Detectable Limit.

Remark : Reference to above mentioned monitoring report all the parameters are within the limits.


--- End of Test Report ---

Authorized Signatory



(Handwritten Signature)

Mr. Pramod Thombare



SHREEJI AQUA TREATMENT PVT. LTD.

Address: 2) A, Sanku Complex, Indraprastha, Delhi, India-110018
 Website: Plot No. 1, Shakti Park - 1, Uttamkhera, Gurgaon, Haryana - 122001, India
 Tel: 1 & 2: 91-99888-99888 • Fax: 91-99888-99888 • Customer Care No.: 91-99888-99888
 E-mail: info@shreeji.com

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India

TEST REPORT

Lab. Forward No. : SL/20-21/05/MSA-Mo/18	Date of Sampling : 23/06/2020
Client Name : M/s. Sria Carbon India Pvt.Ltd	Start of Analysis : 23/06/2020
Unit: Bahalipanga,	End of Analysis : 27/06/2020
Village: Talvadi & Lonop,	Report Date : 27/06/2020
Tal: Khalapur, Dist: Raigarh,	Sample Drawn By : SAIPL Team on 23/06/2020
Maharashtra, India.	
Order / Reference: As Per RF dated 12.06.2020	
Monitoring For : Stack Emission Monitoring	
Sampling Procedure : Each Analytical method covers the sampling procedure as well	
Limit: As per MPCB Consent Copy of Customer	

STACK DETAILS

Identification : Dryer No.1 (S-1)			
Shape	Round	Cross sectional area (m ²)	2.5052
Height (m)	77.0	Fuel Used	CO Gas
Material of Construction	MS	Consumption of Fuel (kg/hr)	1200.0
Temperature (K)	428	Velocity Of Flue Gases (m/s)	8.58
Diameter at port (m)	1.45	Volume Of Flue Gases (Nm ³ /hr)	39710.87



RESULTS

Sr. No.	Description	Results	Unit	Limit	Method
1	Sulphur Dioxide (SO ₂)	11.24	kg/day	1260.0	IS 11255 (Part 3)1986
2	Oxides of Nitrogen (NO _x)	13.58	mg/Nm ³	NS	IS 11255 (Part 3)2005
3	Particulate Matter or (PM)	57.74	mg/Nm ³	150.0	IS 11255 (Part 3)1986
4	Acid Mist	BDL	mg/Nm ³	NS	IS 11255 (Part 3)1986
5	Lead	BDL	µg/Nm ³	NS	SAEPA method 03.07
6	Hydrocarbon as Methane (CH ₄)	BDL	ppm	NS	IS 5182 (Part 1)2009
7	Hydrocarbon as Non-Methane (HC)	BDL	ppm	NS	IS 5182 (Part 2)2001
8	Carbon Monoxide (CO)	59.21	mg/m ³	NS	IS 15270

Note: NS- Not Specified, BDL- Below Detectable Limit.
 Remarks: Reference to above mentioned monitoring reports as the parameters are within the limits.

--- End of Test Report ---



Authorized Signatory

 Mr. Pramod Thombare



SHREEJI AQUA TREATMENT PVT. LTD.

ISO 9001:2015 Certified Company
ISO 14001:2015 Certified Company

Plant : 23 A, Shivaj Complex, Kharju Nagar, Thane, Pin-401108
Head Office : Plot No. 2, Shivaj Ind. Park - 1, Malad West, Sion Road, Laxmi Charters, 400 052, Mumbai
Main Office : 23 A, Shivaj Complex, Kharju Nagar, Thane, Pin-401108
Phone : 022-27672034 • Fax: 022-27612107 • Customer Care No. : 011-0225747308
Web : www.shreejienvo.com • Email : info@shreejienvo.com

AN ISO 9001:2015
CERTIFIED COMPANY
CERT. NO. 42621 - 2016

Laboratory recognized by Ministry of Environment, Forest & Climate Change, Govt. of India

TEST REPORT

Lab Inward No. : SJ/20-21/06/MR-Me/17	Date of Sampling : 11/06/2020
Client Name : M/s. Birla Carbon India Pvt.Ltd	Start of Analysis : 12/06/2020
Unit : Patilganj,	End of Analysis : 17/06/2020
Village : Talvadi & Lohar,	Report Date : 17/06/2020
Tal : Khalsari, Dist : Raigad,	Sample Drawn By : SAJPL Team on 11/06/2020
Maharashtra, India	
Order / Reference: As Per TRF dated 12.06.2020	
Monitoring For : Stack Emission Monitoring	
Sampling Procedure : Each Analytical method covers the sampling procedure as well	
Limits : As per MPCB Consent Copy of Customer	

STACK DETAILS

Identification : Gas Flare System:

Shape	Round	Cross sectional area (m ²)	0.0314
Height (m)	52.0	Fuel Used	LPG & Fuel Gas
Material of Construction	MS	Consumption of Fuel (kg/hr)	15.0
Temperature (K)	431	Velocity Of Flue Gases (m/s)	8.28
Diameter at port (m)	0.2	Volume Of Flue Gases (Nm ³ /hr)	553.52



RESULTS

Sl. No.	Description	Results	Unit	Limit	Method
1	Sulphur Dioxide (SO ₂)	0.90	mg/Nm ³	NS	IS 11255 (Part 2)1985
2	Oxides of Nitrogen (NO _x)	35.97	mg/Nm ³	NS	IS 11255 (Part 2)1985
3	Particulate Matter as (PM)	71.05	mg/Nm ³	150.0	IS 11255 (Part 2)1985
4	Acid Mist	BDL	mg/Nm ³	NS	IS 11255 (Part 2)1985
5	Lead	BDL	µg/Nm ³	NS	SAEPA method 03.07
6	Hydrocarbon as Methane (CH ₄)	BDL	ppm	NS	IS 5182 (Part 1)2005
7	Hydrocarbon as Non-Methane (HC)	BDL	ppm	NS	IS 5182 (Part 2)2005
8	Carbon Monoxide (CO)	107.31	mg/m ³	NS	IS 19279

Note: NS- Not Specified, BDL- Below Detectable Limit.


Remark: - Reference to above mentioned monitoring report all the parameters are within the limits.

-----End of Test Report-----



Authorized Signatory

Mr. Pramod Thembare



SHREE AQUA TREATMENT PVT. LTD.

Water Treatment Solutions Provider

Plot No. 1, Shah Ind. Park - 1, Vidhaya Sadak Road, Landheer, 401 225 Dist. Maharashtra
 Plot No. 2, Shah Ind. Park - 1, Vidhaya Sadak Road, Landheer, 401 225 Dist. Maharashtra
 154, Shree Terrace Apt. Plot No. 33, Park Nagar, Chhatrapati Shivaji Maharaj, 411 012
 Ph: 020-27425025 • Fax: 020-27421321 • Customer Care Fax: 020-27427456
 Web: www.shreeaqua.com • Email: info@shreeaqua.com

AN ISO 9001:2015
 Certified Company
 Certificate No: 44121/2015

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India.

TEST REPORT

Lab Inward No. : SI/20-23/06/MAI-Ma/10	Date of Sampling : 21/06/2020
Client Name :	Start of Analysis : 17/06/2020
M/s. Sika Carbon India Pvt.Ltd	End of Analysis : 17/06/2020
Unit: Patalganga,	Report Date : 17/06/2020
Village : Talali & Lohep,	Sample Drawn By : SATPL Team on 11/06/2020
Tal: Khalapur, Dist: Jalgaod,	
Maharashtra, India.	
Order / Reference: As per TDR dated 12.06.2020	
Monitoring For : Ambient Air Monitoring	
Sampling Procedure : As per IS 5182 & As per Customer Requirement	
Limits : National Ambient Air Quality Standards vide GSR 826 (E) Dated 30.11.2009	
Sampling Location : Near Material Gate	
Lateral Distance : 30.0 meter	Duration : 24 hrs.
Receptor Height : 2.0 meter	Time : 10:00 am to 10:00 am

RESULTS

Sr. No.	Parameters	Results	Unit	Limits	Reference Method
1.	Sulphur Dioxide (SO ₂)	17.72	µg/m ³	≤ 80	IS 5182 (Part 2)-2001
2.	Oxides of Nitrogen (NO ₂)	20.64	µg/m ³	≤ 80	IS 5182 (Part 6)-2006
3.	Particulate Matter PM ₁₀	79.01	µg/m ³	≤ 100	IS 5182 (Part 25)-2006
4.	Particulate Matter PM _{2.5}	55.96	µg/m ³	≤ 60	CPCB Guidelines Volume-01,2015
5.	Carbon Monoxide (CO)	1.2	mg/m ³	≤ 04	IS 5182 (Part 30)-2009
6.	Lead as (Pb)	BDL	µg/m ³	≤ 1.0	IS 5182 (Part 24)-2004
7.	Ozone (O ₃)	BDL	µg/m ³	≤ 180	IS 5182 (Part 9)-2009
8.	Ammonia (NH ₃)	BDL	µg/m ³	≤ 400	APHA-3 rd Edition 403,1988
9.	Benzene (C ₆ H ₆)	BDL	µg/m ³	≤ 05	IS 5182 (Part 31)-2004
10.	Benzo(a)Pyrene (BaP)	BDL	ng/m ³	≤ 01	IS 5182 (Part 12)-2006
11.	Arsenic (As)	BDL	µg/m ³	≤ 06	APHA-3 rd Edition-302,1988
12.	Nickel (Ni)	BDL	µg/m ³	≤ 20	APHA-3 rd Edition 306,1988

Note: BDL= Below Detectable Limit.

REMARK: Reference to above mentioned monitoring report all the parameters are within the limits.

---End of Test Report---




Authorized Signatory

Mr. Pramod Thombare

This report cannot be reproduced in parts. The results relate to sample taken

Page 1 of 1



SHREENI AQUA TREATMENT PVT. LTD.

Head Office: Environmental Laboratory, Chinchwad, Pune-411 019
 Plot No. 3, Chinchwad, Park - 1, Vadgaon/Sink Road, Chinchwad, 411 019, Maharashtra
 Unit: 404, Shreeji Tower, Plot No. 33, Yashwantrao Chavan Nagar, Chinchwad, Pune-411 019
 Ph: 020-27222220 • Fax: 020-27221477 • Customer Care Ph: 020-272222365
 www.shreeniaqua.com • Email: info@shreeniaqua.com

Laboratory Incorporated by Ministry of Environment, Forest & Climate Change, Govt. of India.

TEST REPORT

Lab Inward No. : SL/20-21/D6/MAH-MO/31	Date of Sampling : 11/06/2020
Client Name :	Start of Analysis : 12/06/2020
M/s. Birla Carbon India Pvt.Ltd	End of Analysis : 17/06/2020
Unit- Patalganga,	Report Date : 17/06/2020
Village : Talvadi & Lohop,	Sample Drawn By : SATIL Team on 11/06/2020
Tal: Khilapur, Dist: Raigad,	
Maharashtra, India.	
Order / Reference: As Per TRF dated 12.06.2020	
Monitoring For: Ambient Air Monitoring	
Sampling Procedure: As per IS 5182 & As per Customer Requirement	
Units: National Ambient Air Quality Standards vide GSR 828 (G) Dated 16.11.2009	
Sampling location: Near Dandwadi Area	
Lateral Distance: 20.0 meter	Duration: 24 Hrs.
Receptor Height: 2.0 meter	Time: 10:30 am to 10:30 am

RESULTS

Sr. No.	Parameters	Results	Unit	Limits	Reference Method
1	Sulphur Dioxide (SO ₂)	11.91	µg/m ³	≤ 80	IS 5182 (Part 2):2001
2	Oxides of Nitrogen (NO _x)	14.68	µg/m ³	≤ 80	IS 5182 (Part 6):2006
3	Particulate Matter PM ₁₀	54.0	µg/m ³	≤ 100	IS 5182 (Part 25):2006
4	Particulate Matter PM _{2.5}	43.14	µg/m ³	≤ 60	CPCB Guidelines Volume-01:2007
5	Carbon Monoxide (CO)	1.50	mg/m ³	≤ 04	IS 5182 (Part 10):2003
6	Lead as (Pb)	BDL	µg/m ³	≤ 1.0	IS 5182 (Part 24):2004
7	Ozone (O ₃)	BDL	µg/m ³	≤ 180	IS 5182 (Part 9):2009
8	Ammonia (NH ₃)	BDL	µg/m ³	≤ 400	API663 rd Edition AG1:1988
9	Benzene (C ₆ H ₆)	BDL	µg/m ³	≤ 03	IS 5182 (Part 13):2004
10	Benz(a)pyrene (BaP)	BDL	ng/m ³	≤ 01	IS 5182 (Part 12):2006
11	Arsenic (As)	BDL	ng/m ³	≤ 05	APHA-3 rd Edition-502:1988
12	Nickel (Ni)	BDL	ng/m ³	≤ 20	APHA-3 rd Edition 16:1988

Note: BDL= Below Detectable Limit.

REMARK: Reference to above mentioned monitoring report all the parameters are within the limits.


-----End of Test Report-----



Authorized Signatory

Mr. Pramod Thombare

This report cannot be reproduced in parts. The results relate to sample tested.



SHREEJI AQUA TREATMENT PVT. LTD.

Phone: 244, Amara Complex, Netaji Nagar, Varodol, Vadodra-391 008
 Madadara Post No. 1, Near Jai Park, 1, Varodola-Sankh Road, Gandapura, 391 775 Dist. Vadodra
 Fax: 244, Shreeji Aqua Pvt. Ltd. No. 01, Karna Road, Gandapura, Vadodra-391 018
 Pin: 391 074 (Vadodra) • Fax: (079) 27421122 • Customer Care No. +91 9775747365
 Web: www.shreeji-aqua.com • Email: info@shreeji-aqua.com

Lab No: SATPL/2020
 Certified Laboratory
 GSI/16/20051/2020

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India.

TEST REPORT

Lab Inward No. : SL/20-21/06/MAD-MO/12	Date of Sampling : 11/06/2020
Client Name :	Start of Analysis : 12/06/2020
M/s. Shree Carbon India Pvt.Ltd	End of Analysis : 17/06/2020
Unit: Pataiganga,	Report Date : 17/06/2020
Village : Talva & Lohop,	Sample Drawn By : SATPL Team on 11/06/2020
Tal: Khatiawar, Dist: Rajgad,	
Maharashtra, India.	
Order / Reference: As Per TRF dated 17.06.2020	
Monitoring For : Ambient Air Monitoring	
Sampling Procedure : As per IS 5182 & As per Customer Requirement	
Limits : National Ambient Air Quality Standards vide GSR 626 (E) Dated 10.11.2009	
Sampling Location : Near Switch Yard Area	
Lateral Distance : 10.0 meter	Duration : 24 Hrs.
Receptor Height : 2.0 meter	Time : 11:00 am to 11:00 pm

RESULTS

Sr. No.	Parameters	Results	Unit	Limit	Reference Method
1	Sulphur Dioxide (SO ₂)	13.34	µg/m ³	≤ 80	IS 5182 (Part 2):2001
2	Oxides of Nitrogen (NO _x)	16.29	µg/m ³	≤ 80	IS 5182 (Part 3):2006
3	Particulate Matter PM ₁₀	54.97	µg/m ³	≤ 100	IS 5182 (Part 23):2006
4	Particulate Matter PM _{2.5}	44.12	µg/m ³	≤ 60	CPCB-Guidelines Volume-01:2008
5	Carbon Monoxide (CO)	1.32	mg/m ³	≤ 04	IS 5182 (Part 10):2003
6	Lead as (Pb)	BDL	µg/m ³	≤ 1.0	IS 5182 (Part 24):2004
7	Ozone (O ₃)	BDL	µg/m ³	≤ 150	IS 5182 (Part 9):2009
8	Ammonia (NH ₃)	BDL	µg/m ³	≤ 400	APHA-2 nd Edition 401:1998
9	Benzene (C ₆ H ₆)	BDL	µg/m ³	≤ 05	IS 5182 (Part 11):2004
10	Benzo(a)Pyrene (BaP)	BDL	ng/m ³	≤ 01	IS 5182 (Part 12):2006
11	Arsenic (As)	BDL	ng/m ³	≤ 06	APHA-3 rd Edition 302:1998
12	Nickel (Ni)	BDL	ng/m ³	≤ 20	APHA-3 rd Edition 30:1998

Note: BDL= Below Detectable Limit.

REMARK: Reference to above mentioned monitoring report all the parameters are within the limits.

-----End of Test Report-----



Authorized Signatory

Mr. Pramod Thambare

This report cannot be reproduced in parts. The results relate to sample tested.




SHREE AQUA TREATMENT PVT. LTD.

Specialized Environmental Solutions Under One Roof
 Pune: 21 A, Shree Complex, Indira Nagar, Pune, Pincode: 411 018
 Maharashtra: Plot No. 1, Bhamburda Park-2, Ambekar Road, Ambekar, Pune-411 015
 India: 104, Sayaji Terrace Apt. Plot No. 15, Pimple House, Chhatrapati, Pune-411 015
 PH: 020-27475050 *Fax: 020-27421217 *Customer Care No: +91 9223707255
 Web: www.shreeaqua.com *Email: info@shreeaqua.com

Laboratory Recognized by Ministry of Environment, Forest & Climate Change, Govt. of India.

TEST REPORT

Lab Inward No. : SL/20-21/06/MA3-Mo/13		Date of Sampling : 11/06/2020			
Client Name :		Start of Analysis : 12/06/2020			
M/s. Bala Carbon India Pvt.Ltd		End of Analysis : 17/06/2020			
Unit- Patalganga,		Report Date : 17/06/2020			
Village : Takali S. Talhop,		Sample Drawn By : SATPL Team on 11/06/2020			
Tal: Khadagar, Dist: Raigad,					
Maharashtra, India.					
Order / Reference: As Per TRF dated 12/06/2020					
Monitoring For : Ambient Air Monitoring					
Sampling Procedure : As per IS 5182 & As per Customer Requirement					
Limits : National Ambient Air Quality Standards vide GSR 826 (E) Dated 16.11.2009					
Sampling Location : Near Tank Farm Area					
Lateral Distance : 30.0 meter		Duration : 24 Hrs.			
Receptor Height : 2.0 meter		Time : 23:30 am to 11:30 am			
RESULTS					
Sr. No.	Parameters	Results	Unit	Limits	Reference Method
1	Sulphur Dioxide (SO ₂)	12.65	µg/m ³	≤ 80	IS 5182 (Part 2):2001
2	Oxides of Nitrogen (NO _x)	13.98	µg/m ³	≤ 80	IS 5182 (Part 3):2006
3	Particulate Matter PM ₁₀	54.97	µg/m ³	≤ 100	IS 5182 (Part 23):2006
4	Particulate Matter PM _{2.5}	49.02	µg/m ³	≤ 60	CPCB Guidelines Volume-01:2018
5	Carbon Monoxide (CO)	1.44	mg/m ³	≤ 04	IS 5182 (Part 10):2009
6	Lead as (pb)	BDL	µg/m ³	≤ 1.0	IS 5182 (Part 24):2004
7	Ozone (O ₃)	BDL	µg/m ³	≤ 180	IS 5182 (Part 5):2009
8	Ammonia (NH ₃)	BDL	µg/m ³	≤ 400	APHA-3 rd Edition 401:1988
9	Benzene (C ₆ H ₆)	BDL	µg/m ³	≤ 05	IS 5182 (Part 11):2004
10	Benzo(a)Pyrene (BaP)	BDL	ng/m ³	≤ 01	IS 5182 (Part 12):2008
11	Arsenic (As)	BDL	ng/m ³	≤ 05	APHA-3 rd Edition 302:1988
12	Nickel (Ni)	BDL	ng/m ³	≤ 70	APHA-3 rd Edition 36:1988
Note: BDL= Below Detectable Limit.					
REMARK: Reference to above mentioned monitoring report all the parameters are within the limits.					
-----End of Test Report-----					
				Authorized Signatory	
				 Mr. Pramod Thambare	



SHREEJI AQUA TREATMENT PVT. LTD.

Industrial Environmental Solution Provider

Plant: 20/7, Shreeji Compound, Nehru Road, Pune, Pune-411 004
 Madurai: Plot No. A, Shreeji Park - 1, Madurai Road, Madurai, Madurai-625 002
 Lab: 1/54, Shreeji Textile Park, Plot No. 53, Pune Road, Chhatrapati, Pune-411 005
 Ph: +91-20-252552 *Fax: 020-252577 *Customer Care No. +91-9729787265
 Web: www.shreejienviro.com *Email: info@shreejienviro.com

Laboratory Recognised by Ministry of Environment, Forest & Climate Change, Govt. of India.

TEST REPORT

17/06/2020

Sample / Report No.	SL/20-23/05/MWI/Mo/BS		
Name of Customer	M/s. Birla Carbon India Pvt. Ltd		
Address of Customer	Unit, Patalganga, Village: Talva & Lohop, Tal: Khalapur, Dist: Raigad, Maharashtra, India.		
Order / Reference	As per TIR dated 12.06.2020		
Sample declaration as provided by customer:			
Nature of Sample	Settling Pond Outlet Water		
Batch No.	NA		
Sample Drawn by	Client on 11/06/2020	Sample Received On	12/06/2020
Start of Analysis	12/06/2020	End of Analysis	16/06/2020
Sample Container	Plastic Can	Sample Quantity	02 lit.
Sampling Procedure	NA		
Limits	NA		

Parameters	Results	Limits	Unit	Method
Chemical Testing				
pH	6.54	NA	-	APHA, 23 rd Edition 2017/ 8500-4505
Total Suspended Solids (TSS)	28.0	NA	mg/lit	APHA, 23 rd Edition 2017/ 2540-D
Total Dissolved Solids (TDS)	178.0	NA	mg/lit	APHA, 23 rd Edition 2017/ 2540-C
Chemical Oxygen Demand (COD)	176.0	NA	mg/lit	APHA, 23 rd Edition 2017/ 5220-C
Bio Chemical Oxygen Demand (BOD) @ 27°C for 3 Days	70.0	NA	mg/lit	IS 3025 (Part 44):1995
Oil & Grease	<2.0	NA	mg/lit	IS 3025 (Part 39):1995

Note: NA-Not Applicable.

-----End of Test Report-----



Authorized Signatory

(Signature)
Mr. Pramod Thombare

This report cannot be reproduced in parts. The results relate to sample tested.