

ELASTOCYL™

CNT elastomers concentrates

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product identifier used on the label: ELASTOCYL™ HTV1002

Other means of identification: Carbon/Polysiloxan mixture

REACH Registration Number (RRN): Not applicable.

Belgium Nanoregister Number: Please consult Nanocyl S.A.

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Raw material for plastics industry

Identified Uses: For Industrial and Professional use only.

Uses Advised against: Not intended for food contact applications, toys or medical devices.

1.3 Details of the supplier of the safety data sheet

Manufacturer: Nanocyl S.A.
Rue de l'Essor, 4 - B-5060 Sambreville - Belgium

Phone: + 32 71 750 380 (office hours) - Fax: + 32 71 750 390

E-mail: info@nanocyl.com

1.4 Emergency telephone number

Phone: + 32 71 750 380 (office hours, English and French)

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 [CLP].

2.1.2 Additional information: None.

2.2 Label elements

- * Pictograms: not applicable
- * Signal words: not applicable
- * Hazard statements: not applicable
- * Precautionary statements: not applicable

2.3 Other hazards

When heated, the vapors/fumes given off may cause respiratory tract irritation.

The toxicological properties of this material have not yet been fully investigated, and its handling and use may present additional hazards.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Substances	EC Number / List number	CAS Number	Reach Registration Number	% (wt.)	Classification
<i>Polysiloxan</i>	polymer	-	-	90	-
<i>Short tangled Multi-walled carbon nanotubes (MWCNTs) obtained by catalytic chemical vapour deposition- Synthetic graphite in tubular shape</i>	- / 936-414-1	-	01-2119879048-26	10	-
<i>Octamethylcyclotetrasiloxan⁽¹⁾⁽²⁾</i>	209-136-7	556-67-2	-	< 0.3	Flam Liq. 3, H226 Repr. 2, H361f (fertility) Aquatic Chronic 4, H413

⁽¹⁾ Substance meets the criteria for PBT according to Regulation (EC) N° 1907/2006, Annex XIII

⁽²⁾ Substance meets the criteria for vPvB according to Regulation (EC) N° 1907/2006, Annex XIII

SECTION 4. First aid measures

4.1 Description of first aid measures

After skin contact: In case of contact with product, immediately flood the affected area with water. Remove contaminated clothing and shoes. If necessary, transport to nearest medical facility for additional treatment.

After eye contact: Hold the eyes open and rinse with water for a sufficiently long period of time (at least 10 minutes). Obtain medical attention if pain, blurred vision,

European Safety Data Sheet: ELASTOCYL™ HTV1002 | 9 December 2021 | V02

swelling, burning or redness persist.

After inhalation: If vapours are inhaled, move the person into fresh air, keep warm and allow to rest. If breathing is difficult, oxygen may be administered and medical attention should be obtained.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

4.2 Most important symptoms and effects, both acute and delayed: See Section 2.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable media: Water fog, Foam, Carbon Dioxide, Dry Chemical.

Unsuitable media: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards: /

Hazardous combustion products: May form toxic fumes, carbon monoxide, carbon dioxide, metal oxides.

5.3 Advice for firefighters

Protective equipment's: Wear self-contained breathing apparatus. Wear suitable protective clothing.

Further information: Water used to extinguish fire should not enter drainage systems, soil or stretches of water. Ensure that there are sufficient retaining facilities for media used to extinguish fire.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Equip cleanup crew with proper protection (see chapter 8).

Avoid contact with skin, eyes and clothing with product. Do not inhale vapours and dust.

Avoid dust formation.

6.2 Environmental precautions:

Collect for disposal. Avoid discharge to natural waters, sewers and biological wastewater treatment plants.

6.3 Methods and material for containment and cleaning up:

Collect spilled polymer; it could cause falls (danger of slipping).

Use absorbent material to collect and contain for disposal. If molten, allow material to cool and place into an appropriate marked container for disposal.

6.4 Reference to other sections: See Sections 8 and 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

No specific requirements necessary, if handled at room temperature. Handle in accordance with good industrial hygiene and safety procedures. See section 8 for personal protective equipment.

Avoid spilling the product, as it might cause falls.

When bringing the material to processing temperatures gases might develop. Provide appropriate ventilation for such processing conditions.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in the original closed container in a dedicated place. Keep containers in a cool, dry place with adequate ventilation. Keep away from open flames and high temperature. Avoid dust formation.

7.3 Specific end use(s): Not applicable.

SECTION 8. Exposure controls / Personal protection

8.1 Control parameters

Apply technical measures to comply with the Occupational Exposure Limits. The Occupational Exposures Limits values are country or region specific. Please check which values are applicable at your workplace.

Worker exposure to dust should be evaluated taking into account all activities carried out on site. The type of dust (respirable / breathable, organic / inorganic, ...) depends on these activities.

No official Occupational Exposure Limit has yet been established for the carbon nanotubes in this product. Obtain special instructions before use.

Provide local ventilation appropriate to the product decomposition risk.

Derived No Effect Level (DNEL) for MWCNT – Inhalation - long term exposure of workers: 0,05 mg/m³

8.2 Exposure controls

8.2.1 Appropriate engineering controls:

Technical measures to prevent exposure: Provide local ventilation appropriate to the product decomposition risk.

8.2.2 Personal protection equipment:

8.2.2.1 Eye and face protection: Chemical goggles or safety glasses.

Recommended: Use eye protection according to EN 166.

8.2.2.2 Skin protection:

Hand protection:

Wear chemical resistant gloves when handling material.

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

8.2.2.3 Respiratory protection:

Dust formation:

In case of inadequate ventilation, wear respiratory protection.

Use appropriate respiratory protection. Recommended: filter P2 (DIN EN 143).

Elevated temperature:

In case of inadequate ventilation, wear respiratory protection.

Use appropriate respiratory protection. Recommended: filter ABEK P2.

8.2.2.4 Thermal hazards:

Elevated temperature:

Wear heat resistant gloves when handling molten material.

8.2.3 Environmental exposure controls:

Collect for disposal. Avoid discharge to natural waters, sewers and biological wastewater treatment plants.

In case of contact, ensure prompt removal from eyes, skin and clothing. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and leaving work. Facilities storing or utilizing this material should be equipped with an eyewash facility. Change contaminated clothing immediately.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	black liquid (viscous)
Odour/Odour threshold:	negligible
pH:	not available.
Solubility in water:	not available.

Melting point/freezing point:	not available.
Initial boiling point and boiling range:	not available.
Flash point:	not available.
Decomposition temperature:	not available.
Smouldering temperature:	not available.
Auto-ignition temperature:	not available.
Evaporation rate	not available.
Viscosity:	not available.
Vapour pressure:	not available.
Vapour density:	not available.
Density:	not available.
Flammability (solid, gas):	not available.
Oxidising properties	not available.
Explosive properties	not available.

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10. Stability and Reactivity

10.1 Reactivity: No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability: Stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions: Hazardous polymerization will not occur.

10.4 Conditions to avoid:

Avoid heating up to thermal decomposition temperature (see Section 9.1).

Avoid exposure to moisture, direct sunlight and/or heat and accumulation of electrostatic charges.

Avoid dust formation.

10.5 Incompatible materials: Strong oxidizing and reducing agents. Strong acids and strong bases.

10.6 Hazardous decomposition products:

No hazardous decomposition products known at room temperature.

May form hazardous decomposition products when exposed to high temperatures (see also Section 5.2).

SECTION 11. Toxicological information

11.1 Information on toxicological effects

No data available on the product itself.

Acute toxicity:

Test material	Results	species	Dose	Exposure
Octamethylcyclotetrasiloxane	LD50 Oral	Rat	1,540 mg/kg	-
	LC50 inhalation vapor	Rat	36 mg/l	4hrs
	LD50 Dermal	Rat	1,770 mg/kg	-

Test material	Route of exposure	LD50
MWCNT	Oral	> 5000 mg/kg
MWCNT	Dermal	> 2000 mg/kg

Skin corrosion/irritation - Serious eye damage/irritation:

Test material	Results	species	Exposure
Octamethylcyclotetrasiloxane	Eyes – Mild irritant	Rabbit	24hrs
	Skin – Mild irritant	Rabbit	24hrs

Test material	Organ	Result
MWCNT	skin	Not irritant
MWCNT	eye	Not irritant

Respiratory or skin sensitization: No data available.

Germ cell mutagenicity:

Test material	Method	Result
MWCNT	<i>In vitro</i> , AMES test	Negative

Carcinogenicity:

Test material	Exposure	Species	Result
MWCNT	2-years, intraperitoneal	rat	No carcinogenic response

Reproductive toxicity: No data available.

Summary of evaluation of the CMR properties: No data available.

STOT-single exposure: No data available.

Test material	Method	Result
MWCNT	Possible hazard	May be harmful if inhaled.

STOT-repeated exposure:

Test material	Exposure	Species, Target organ	Result
MWCNT	28 days, oral	rat	NOAEL: 0.5 mg/kg
MWCNT	5 days, inhalation	rat, lung (pulmonary inflammation)	LOAEC: 2 mg/m ³
MWCNT	90 days, inhalation	rat, lung (multifocal granulomatous inflammation)	LOAEC: 0.1 mg/m ³

Aspiration hazard: No data available

When used and handled according to specifications, the product does not have harmful effects according to our experience and the information provides to us. From a toxicological point of view, the material behaves as the base polymer if there is no dust formation and the operators follow the manipulation instructions of Section 7 and 8.

SECTION 12. Ecological information

12.1 Toxicity

No data available on the product itself.

Acute toxicity

Test material	Study type	Result
MWCNT	Fish, 14 days	LC50: > 100 mg/l
MWCNT	Daphnia, 48 hours	EC50: > 100 mg/l
MWCNT	Algae, 72 hours	EC50: 134 mg/l

Chronic toxicity

Test material	Results	species	Exposure
Octamethylcyclotetrasiloxane	Chronic NOEC 0.0000044 mg/l fresh water	Fish- Oncorhynchus mykiss	93 d
	Chronic NOEC 0.000002-0.000015 mg/l fresh water	Daphnia – Daphnia magna	21 d

Test material	Study type	Result
MWCNT	Fish, semi static	EC10: 100 mg/l
MWCNT	Daphnia, semi static	NOEC: > 25 mg/l

12.2 Persistence and degradability: Not readily biodegradable (according to OECD criteria).

12.3 Bioaccumulative potential

Test material	LogPow	BCF	Potential
Octamethylcyclotetrasiloxane	6.488	13,400.00	high

Bioconcentration factor (BCF): No data available for the mixture.

12.4 Mobility in soil: No data available.

12.5 Results of PBT and vPvB assessment: No data available.

12.6 Other adverse effects: /

SECTION 13. Disposal considerations

13.1 Waste treatment methods

13.1.1 Product / Packaging disposal:

Product: If the material becomes a waste, consider it as special waste. It can be destroyed by incineration in accordance with local, state and federal regulations. For all countries, the disposal methods must be in compliance with national and provincial laws and any municipal or local by-laws.

Container: Empty containers can be landfilled after have been emptied as thoroughly as possible, when in compliance with the Environmental Protection Regulation and with local, state and federal regulations.

13.1.2 Waste treatment-relevant information: Avoid losses to the environment

13.1.3 Sewage disposal-relevant information: Do not allow to enter ground soil, sewage, drains.

13.1.4 Other disposal recommendations: No data available

SECTION 14. Transport information

No dangerous good in sense of these transport regulations:

Land transport (ADR/RID); Inland waterway transport (ADN); Sea transport (IMDG); Air transport (ICAO-TI / IATA-DGR); USA Department of Transport (DOT); Canada Transportation of Dangerous Goods (TDG).

14.1. UN number : None.

14.2. UN proper shipping name: Not applicable.

14.3. Transport hazard class(es): Not applicable.

14.4. Packing group: Not applicable.

14.5. Environmental hazards: No.

14.6. Special precautions for user: Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code": Not applicable.

SECTION 15. Regulation information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

REACH

The substance "short tangled multi-walled carbon nanotubes obtained by catalytic chemical vapour deposition" (MWCNT) has been registered under REACH (RRN: 01-2119879048-26-0001). The substance as registered had no corresponding CAS number. The European Agency ECHA has however assigned the provisional EC List Number 936-414-1. The MWCNT compounded in this product is NC7000™.

The substance(s) in this product has (have) been Registered or are exempted from registration according to Regulation (EC) REACH 1907/2006.

Substances of very high concern: the following components are listed:

Octamethylcyclotetrasiloxane : Candidate of substances of very high concern – vPvB

Octamethylcyclotetrasiloxane : Candidate of substances of very high concern – PBT

United States of America

Toxic Substance Control Act

All substances in this product are listed/exempted in the TSCA inventory.

All substances in this product are either exempted or Active under the TSCA Active-Inactive Rule.

This product contains one or more substance(s) which is/are subject to a TSCA Section 5(e) consent order that imposes certain restrictions on handling, storage, distribution, use and disposal. Contact Nanocyl S.A. for details.

Canada

In Canada, since a component of this product is not listed on the Canadian Domestic Substance List (DSL) or non-Domestic Substances List (NDSL), schedule 5 of the New Substances Notification Regulations (Chemicals and Polymers) of the Canadian Environmental Protection Act, 1999, have been granted.

Inventories

All components of this product are compliant with the following chemical inventories:

Japanese Existing and New Chemical Substance (ENCS), Korean Existing Chemical Substance (ECL), Philippines Inventory of Chemicals and Chemical Substances (PICCS), Chinese Chemical Inventory of Existing Chemical Substance (IECS) and Taiwan Existing Chemical Substance Nomination (ECN).

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this mixture by the supplier. A Chemical Safety Assessment is not required as product is not classified as hazardous.

SECTION 16. Other information

The contents and format of this SDS are in accordance with Regulation (EC) No. 1907/2006 (REACH) and its amendments.

Vertical lines in the left hand margin indicate an amendment from the previous version.

Safety Data Sheet revision history:

Previous version:	24 March 2020	(V01)
Current version:	9 December 2021	(V02)

Disclaimer:

Nanocyl S.A. provides the information contained herein in good faith and makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material.